LA--1279 **C.3** 

CIC-14 REPORT COLLECTION REPRODUCTION COPY

# LOS ALAMOS SCIENTIFIC LABORATORY

OF THE

UNIVERSITY OF CALIFORNIA

CONTRACT W-7405-ENG. 36 WITH

**U. S. ATOMIC ENERGY COMMISSION** 



#### LOS ALAMOS SCIENTIFIC LABORATORY

of

### THE UNIVERSITY OF CALIFORNIA

July 16, 1951

LA-1279

TOTAL CROSS SECTIONS FOR 14-MEV NEUTRONS

Work done by:

D. I. Meyer Warren Nyer Report written by:

D. I. Meyer Warren Nyer



#### PHYSICS AND MATHEMATICS

20 1

12

1611411411442112411131112131841111

L	8	Alamos Document	Room
J	R.	Oppenheimer	

.

AUG 1 0 1951

#### STANDARD DISTRIBUTION

Argonne National Laboratory									
Armed Forces Special Weapons Project									
Atomic Energy Commission, Washington									
Recently Removial Institute Maghing Con									
Pruch Rewellium Company									
Brush Deryttium Company Dreakhaven National Labonatem									
Brooknaven hautonat baooratory Buyonu of Medicine and Surgery									
Dureau of Shine									
Carbide and Carbon Chemicals Division (K-25 Plant)									
Columbia University (W W Havens Jr )									
Columbia University (W. W. Davens, Jr.)									
Concercia Districe Richland									
General Miectric, Alchiand									
Idano Operations Office									
lowa State College									
Kansas City Operations Branch									
Kellex Corporation									
Kirtland Air Force Base									
Knolls Atomic Power Laboratory									
Mallinckrodt Chemical Works									
Massachusetts Institute of Technology (A. Gaudin)									
Massachusetts Institute of Technology (A. R. Kaufmann)									
Mound Laboratory									
National Advisory Committee for Aeronautics									
National Bureau of Standards (R. D. Huntoon)									
Naval Medical Research Institute									
Naval Radiological Defense Laboratory									
New Brunswick Laboratory									
New York Operations Office									
North American Aviation, Inc.									
Oak Ridge National Laboratory (X-10 Site)									
Oak Ridge National Laboratory (Y-12 Site)									
Patent Branch, Washington									
Rand Corporation									
Rand Corporation									
Sandia Corporation									

## LA-1279

Technical Information Service, Oak Ridge U. S. Geological Survey (T. B. Nolan) U. S. Public Health Service University of California at Los Angeles University of California Radiation Laboratory	75 2 2 1 5 2
University of Washington	ī
Western Reserve University	ļ
Westinghouse Electric Corporation	4
duPost Company	ב ב
Savannah River Operations Office	í
Aircraft Nuclear Propulsion Project, Oak Ridge	3
SUPPLEMENTARY DISTRIBUTION	
Atomic Energy Project, Chalk River	4
Chief of Naval Research	1
H. K. Ferguson Company	1
Harshaw Chemical Company	ļ
Isotopes Division (Mr. McCormick)	7
National Burgay of Standards	2
National Research Council. Ottawa	ī
Naval Research Laboratory	ī
Nevis Cyclotron Laboratories	2
Nucleonics	1
Oak Ridge Institute of Nuclear Studies	1
United Kingdom Scientific Mission (M. Greennill)	TO
USAF, Wright-Patterson Air Force Base (Rodney Nudenherg)	1
USAF, Wright-Patterson Air Force Base (CADO)	5
U. S. Army, Army Field Forces (Captain James Kerr)	í
U. S. Army, Atomic Energy Branch (Lt. Col. A. W. Betts)	1
U. S. Army, Director of Operations Research (Dr. Ellis	
Johnson)	<u>1</u>
U. S. Army, UIIICE, Uniel of Urdnance (Coi. A. a. Del Campo	) 1
(Curtis T. Clayton thru Major George C. Hunt)	2
U. S. Army, Technical Command (Col. J. H. Rothschild	٤
Attn: Technical Library)	3
IF-ARC Agricultural Research Program (Charles S. Hobbs)	ī

Total cross sections of carbon, polyethylene, water, heavy water, formic acid, nitrogen and copper for 14.2-Mev neutrons were obtained from "good geometry" transmission experiments. Neutrons were produced by the  $T(D,n)He^{l_1}$  reaction on a Cockcroft-Walton accelerator operated at 250 kilovolts. The analyzed diatomic deuteron beam was used to bombard a thick zirconium-tritium target<sup>1</sup>. If the reaction energy is taken as 17.60 Mev, the neutron energies ranged from 14.08 to 14.35 Mev at the angle (70° to the beam) at which the measurements were made. The effective target area, and hence the neutron source size, was limited to a circle about  $1/l_1$  inch in diameter.

Copper strips 3/8 inch x 12 inch x 0.003 inch, wrapped in tight spirals, were used to detect the neutrons by the  $Cu^{63}(n,2n)Cu^{62}$ reaction<sup>2</sup>. The strip was wound in a helix around a Geiger tube for counting. Scattering samples and the detector spirals were suspended from a taut music wire and aligned with a transit. The scatterers were located midway between the source and the detector. A detector spiral and a monitor spiral were 90 cm from the source and were 90 cm apart.

Background activity due to room-scattered neutrons was determined by placing a 25-inch long copper bar between source and detector. A simple calculation shows the transmission of neutrons through

-4-

Graves, Rodrigues, Goldblatt & Meyer, Rev. Sci. Inst. <u>20</u>, 579 (1949),
J. L. Fowler and J. M. Slye, Phys. Rev. <u>77</u>, 787, (1950).

such a bar is negligibly small. The measured activity of the bare detector was 3% of the activity without the bar and had a five minute half-life. This is characteristic of the reaction  $Cu^{65}(n,\gamma)Cu^{64}$  which is excited chiefly by slow neutrons. Shielding the detector with cadmium reduced this background to 0.3%.

All scattering samples except copper were 1 inch in diameter. The copper samples were 1/2 inch and 1 inch in diameter. This corresponds to maximum angles for scattering of neutrons into the detector of  $1.70^{\circ}$  and  $3.50^{\circ}$  for the 1/2 inch and 1 inch samples, respectively. In general the length of the scattering sample was such as to give a transmission of approximately 0.5. The transmission is defined as the ratio of the neutron flux as measured by the detector with a scattering sample in the path of the neutrons.

Effects of small-angle scattering and multiple scattering were found to be negligible for copper, which is the case for which such effects would be greatest. No difference in cross section was observed with copper scatterers of 1 inch and 1/2 inch diameters, within the limit of error of the measurement. The statistical errors in each case were 0.8%. Furthermore, no multiple scattering effect was observed when copper samples with transmissions of 0.50 and 0.26 were compared. The statistical errors here were also 0.8%. The magnitude of the error in the cross section due to elestic scattering of neutrons

-5-

into the detector by the scatterer can be estimated by the method of McMillan and Sewell<sup>3</sup>. This error would be 1% for the measurement using the 1 inch diameter copper scatterer and 1/4% for the measurement using the 1/2 inch diameter copper scatterer. In all other cases this correction was less than 1/2%. No correction for this effect was applied to any of the measurements.

In all measurements except those with nitrogen, the largest known error was the statistical error in counting. The standard deviation of the observed transmissions was 0.6%. An error of this magnitude in the transmission would cause an error of 1.2% in the cross section. The cross sections for hydrogen, deuterium, and oxygen were determined from differences and hence have larger errors. Liquid nitrogen was used for the nitrogen measurement and in this case the determination of the density was the largest error.

The formic acid and polyethylene samples were chemically analyzed by A. R. Ronzio, of Group H-4, who found that the chemical formulas and masses of these samples were correct to within a few tenths of a percent. The purity of the other samples is not known, but is believed to be high.

Cross sections were evaluated by the relation  $\sigma = \frac{1}{nx} - \log \frac{1}{T}$ , where n is the number of atoms or molecules per cm<sup>3</sup>, x is the length of

<sup>3.</sup> Edwin M. McMillan & Duane C. Sewell, U.S.AEC publication MDD5-1558.

the scattering sample in centimeters, and T is the transmission corrected for the effect of room-scattered neutrons. Results are listed in the table below.

SCATTERER	MOLECULAR CROSS SECTION (barns)	ELEMENT	ELEMENT CROSS SCATTERERS USED SECTION (barns) FOR DETERMINA- TION OF ELEMENT CROSS SECTION	
С		C	1.2902	C
CH2	2.64 ± .03	H	0.675 + .020	CH <sub>2</sub> ,C
но	2.9703	0	1.6204	H <sub>2</sub> O,CH <sub>2</sub> ,C
сн <sub>2</sub> 02	5.84 ± .10	0	1.60 + .04	CH202, CH2
D20	3.23 + .03	D	0.81 ± .03	D <sub>2</sub> 0,H <sub>2</sub> 0,CH <sub>2</sub> ,C
ท		N	1.3905	N
Cu		Cu	2.8505	Cu

TOTAL NEUTRON CROSS SECTIONS AT 14.2 MEV

Total cross section measurements in the same energy region have been reported by Ageno, et al<sup>4</sup> and Lasday<sup>5</sup>.

4. Ageno, et al, Phys. Rev. <u>71</u>, 20, (1947)

5. Albert H. Lasday, Phys. Rev. 81, 139 (1951)

# DOCUMENT ROOM

REC. From HA DATE 8-6-5/ REC. NO. REC.