LA-UR- \$6-2318 CONF- 96/103-7

Title:

American National Standard ANSI/ANS-8.6: Safety in Conducting Subcritical Neutron-Multiplication Measurements 'In Situ'

Author(s):


Thomas P. Mct.aughlin, ESH-6

AUG 2 6 1993

OSTI

Submitted to:

Amorican Nuclear Society 1996 Winter Meeting



For Als the Education Laboratory are alternative of improduced registering engagement of the Education of the Education of the Computation of the

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED !!



DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document. American National Standard ANSI/ANS-8.61
Safety in Conducting Subcritical Neutron-Multiplication Measurements In Situ

Thomas P. McLaughlin, LANI.

Introduction

Safe and economical operations with fissile materials require knowledge of the subcriticality of configurations that arise in material processing, storage, and transportation. Data from critical experiments have been a principal source of information with which to establish safety margins. However, the lower cost and the expediency of performing confirmatory subcritical measurements on the process floor or in the storage vault resulted in much of the early criticality safety guidance being based on subcritical *in situ* experiments (Refs. 1.2).

The *In situ* standard, ANS-8.6, was developed in the mid-1960s. While reported applications of this potentially valuable standard in the last 30 years are scarce, a few examples from the past ten years are presented. This scarcity is probably driven by the difficulty in providing well-characterized conditions (smtable for validations) in the process areas as well as a heatancy among regulatory personnel to permit "approach-to-critical" experiments at work sites even though there is no intention of going beyond accepted bands-on practices at critical experiment facilities and process theilities.

Although the early subcritical measurements provided valuable dua, to take advantage of refinements in safety margins that may be afforded by the application of current computer codes, it is necessary to have more accurate measurements of the subcritical state than may be readily

available today. The criticality specialist routinely bases safety margins for far subcritical operations on validations made against data gathered at the critical point.

In sim measurements, in addition to possibly providing more expeditious and less costly information about safety margins than may be available from experiments at critical, may also be applied to the task of providing identification information. Finally, with the increasing interest in site restoration and the possible desire to exhume material that may have been buried for decades, in situ techniques may offer the only practical means of characterizing a situation before it is disturbed.

Early Applications

lixtensive critical measurements were performed at the several critical experiment facilities that existed from the 1940s into the 1960s. The majority of these experiments were with single omit, partly because of the cost, time, and complexity of large arrray measurements. However, guidance for storage of weapons and weapons components and early reactor feel storage configurations was based largely on subcritical measurements in the field. The major reason was that it was not always practical to perform critical experiments since necessary facilities did not always exist where the bulk of the material of interest was stored.

Subcritical in vita incustrements made in 1945-1955 on weapons and vesipons components at Rocky I have and at weapons assembly and storage sales provided criticality safety guidance that is still valuable today! C. L. Schuske of Rocky Fluis and H. C. Paxion of Los Alamos Naponal

Laboratory (LANL) were instrumental in the instigation of these measurements, an example of which is illustrated in Fig. 1. The safety guidance from most of these early subcritical experiments was derived from inverse multiplication plots with the limit for safe storage chosen as, for example, a cross multiplication of two.

Exemplifying the efficiency and functions of *in situ* measurements for unique applications is the proof test conducted on a compact, poisoned fuel storage rack for the PM-2A reactor (Ref. 3).

This portable, medium-power reactor was located at Camp Century, Greenland, and the multiplication measurements were conducted on site.

ANSI/ANS-8.6

The standard development effort leading to ANS-8.6 was largely due to the efforts of Schuske.

The was associated with many beneficial *in situ* measurements on process vessels and storage configurations within the facility, and he participated in or instigated many others at sites within the U.S. Atomic Energy Commission and the military.

Write this standard should facilitate the application of measurements that can better define safety unargina and hence enhance the safety and economy of operations, few reported in situ measurements have been noted since the 1960s. Perhaps the difficulty and expense of critical experiments as well as developments in subcritical measurement techniques will reverse this trend. On the other hand, as stated in Sec. 4.1 of the standard, "primary responsibility for safety shall be assigned to one individual experienced in the performance of subcritical or critical

experiments." Such personnel are becoming as scarce as critical facilities.

The correct interpretation of data gathered with well-understood techniques is clearly dependent on knowledgeable, experienced personnel. Indeed, the incorrect interpretation of data was a factor in the confusion and musunderstanding associated with reactivity measurements of the Z-9 Crib at Hanford (Ref. 4). These in situ pulsed neutron experiments were performed to provide confidence in the expected high degree of subcriticality of the plutonium-bearing liquid waste disposal site. Interpretations of initial data, however, did not confirm the expected result and indicated a system possibly near critical. Analyses of subsequent data led to the conclusion that the system was indeed highly subcritical, and there were no criticality safety concerns. Parhaps noise analysis techniques currently being refined might have enabled a more accurate estimation of how far subcritical the Z-9 Crib really was.

Recent and Future Applications

Two applications of *in situ* measurements and the ANS-8.0 standard at LANI in the past decade come to infind. The first is a one-of-a-kind operation calculated to be subcritical by + 10% Ak when fully assembled, which included thick reflection. Appropriate counting equipment and knowledgeable personnel from the critical experiments facility were brought into the photonium facility to inmitter the assembly operation. The inverse multiplication data coupled with calculational results provided confidence during the assembly process that the unit was subcritical by about the degree predicted, and the thad multiplication factor was also nearly as expected.

The second application involves inverse multiplication measurements on boiling water reactor and pressurized water reactor assemblies with loadings and enrichments typical of commercial reactors. These assemblies are used by the Sufeguards Assay Group at LANI. for instrumentation development purposes. Following the administrative and operational practices stated in the standard provides confidence that no surprises will be encountered, even though it is known that individual assemblies in water cannot be made critical for expected loadings and enrichments.

Recently developed measurement methods permit more quantitative subcriticality measurements (Ref. 5) and have been applied to determine the subcriticality of a storage vault containing metric tops of highly coriched aronium metal at the Oak Ridge Y-12 Plant (Ref. 6). Measurements are now in progress to provide data for validation of calculational methods for criticality safety of production items at the Oak Ridge Y-12 Plant.

As U.S. Department of Energy environmental restoration netivities escalate, situations will undoubtedly arise in which the degree of subcriticality of buried material will be desired knowledge prior to its disturbance. The advancement of technologies to handle such situations is certainty a necessary term, but adherence to the *m stru* standard and other professional practices will also provide the necessary confidence that acceptably large margins of subcriticality are tourntained.

Sundancy

There are many examples of expeditious and cost-effective *in situ* measurements dating from the 1940s and 1950s. These subcritical experiments, on which the safety of operations were based, were paralleled by numerous critical experiments, which provide most of the bases for computer code validations today. As the capability to expeditiously and cost-effectively perform critical experiments withors, *in situ* subcritical measurements may provide the information necessary to further reduce uncortainties and biases in safety margins and thus incorporate more safety and efficiency into process operations. This type of measurement has recently been performed for a storage vault containing highly enriched uranium metal at the Oak Ridge Y-12 Plant. Finally, cortain site restoration activities may demand knowledge of the subcritical state before disturbing the buried material. *In situ* subcriticality measurements may ofter the only practical means to this knowledge.

- II. C. PANTON, "Capsule Storage and Density Analog Techniques," I.A-5930-MS (U),
 Los Alamos Scientific Lah. (May 1975).
- H. C. PAXTON, G. R. KEEPIN, "Criticality." The Technology of Nuclear Reactor Sufery, Vol. 1, Chap. 5, p. 244, The MIT Press, Cambridge, Missachusetts (1964).
- W. J. McCOOL, W. W. SCHRADER, "Start Up Nucleur Testing of a Portable Nuclear Power Station at a Remote Arctic Site," Trans. Am. Nucl. Soc., 5, 137 (1962).
- 4. A. E. SMITH, "Nuclear Reactivity Evaluations of 216-Z-9 Enclosed Trench," ARII-2915, Atlantic Richfield Haufürd Co. (Dec. 1973).
- 5 J. J. M. CALCZO, V. K. PARL, G. L. RAGAN, M. V. MATHIS, and G. C. HLLET, "Determination of Reactivity from Power Spectral Density Measurements with ""CL" Nucl. Sci. Phys., 60, 39 (1978).

6. J. T. MIHALCZO, T. E. VALENTINE, and L. D. PHILLIPS, "Subcritical Measurements for Calculational Verification of HEU Tube Vault Storage at the Oak Ridge Y-12 Plant,"

Proc. of 5th Int. Conf. on Nucl. Crit. Sufety, Aibuquerque, New Mexico (1995).




Fig. 1. Change of reciprocal cross multiplication as large capsules were positioned in a storage visit at spacings of 19 and 21 in. One side was filled before the other was started. The lonescine point, for 19 in spacing, shows the apparent offect of four persons in the corridor.