

JUL 1 0 1979

UNCLASSIFIED


LOS ALAMOS SCIENTIFIC LABORATORY

of

THE UNIVERSITY OF CALIFORNIA

August 15, 1950

LA - 1142



INELASTIC COLLISION CROSS SECTIONS

of Be, B, C, N, Al, Fe, Cu, Cd, Au, Pb, Bi, and U

FOR 14 MEV NEUTRONS

Work done by:

R. W. Davis

D. D. Phillips

Report written by:

D. D. Phillips

Physics, General

UNCLASSIFIED

9338 00339 0274

PUBLICLY RELEASABLE LANL Classification Group

Classification change I to UNCLASSIFIED
by sutherity of the U.S. Atomic Energy Commis

by authority of the U.S. Atomic Energy Commission

By REPORT LIBRARY

VERIFIED UNCLASSIFIED

M. Paulroz, FS-16, 11/16/45

UNCLASSIFIED

APPROVED FOR PUBLIC RELEASE

# UNCLASSIFIED

# PHYSICS - GENERAL

Los Alamos	Copy No. 1-20
STANDARD DISTRIBUTION	
Argonne National Laboratory	21-32
Armed Forces Special Weapons Project	33
Atomic Energy Commission, Washington	34-36
Battelle Memorial Institute	37
Brookhaven National Laboratory	38-41
Bureau of Ships	42
Carbide & Carbon Chemicals Division (K-25 Plant)	43-44
Carbide & Carbon Chemicals Division (Y-12 Plant)	45-48
Columbia University (Dunning)	49
General Electric Company, Richland	50 <b></b> 5 <b>3</b>
Hanford Operations Office	54
Idaho Operations Office	55 <b>–</b> 56
Iowa State College	<b>57</b>
Kellex Corporation	58
Knolls Atomic Power Laboratory	59-62
Mallinckrodt Chemical Works	63
Mound Laboratory	64-66
National Advisory Committee for Aeronautics	67
National Eureau of Standards	68
Naval Medical Research Institute	69
Naval Radiological Defense Laboratory	70
NEPA Project	71-73
New Brunswick Laboratory	74
New York Operations Office	75-76
North American Aviation, Inc.	77
Oak Ridge National Laboratory	78-85
Patent Branch, Washington	86
Sandia Corporation	87
Technical Information Division, ORE	88_102
USAF - Office of Assistant for Atomic Energy	103
UCLA Medical Research Laboratory (Warren) University of California Radiation Laboratory	104 105 <b>-1</b> 09
University of Carlifornia Radiation Laboratory	110-111
Westinghouse Electric Corporation	112-115
MegathRuoge Effection onthoughton	<b>エ</b> オペ <b>ル</b> オギン

UNCLASSIFIED




# INELASTIC COLLISION CROSS SECTIONS FOR 14 MEV NEUTRONS

This report is an extension of LA-740 in that it contains cross sections for nitrogen, copper, and uranium in addition to the previously reported cross sections. The experimental method was that of sphere scattering with threshold detectors as described in LA-740. The threshold detectors used were copper, aluminum, and phosphorus with thresholds at approximately 11.5 MeV, 2.6 MeV, and 1.4 MeV respectively.


The nitrogen data were obtained by placing liquid nitrogen in a spherical flask of 11.5 inches diameter. The copper detector foils were dropped into a test tube extending down through the neck of the flask to the center of the sphere.

Some of the copper data were obtained by placing two copper hemispherical shells about the tritium target of the Los Alamos Cockcroft-Walton accelerator. The source strength was held as nearly constant as possible and was monitored by means of a proportional counter, counting the alpha-particles from the  $T(d,n)\alpha$  reaction. This method of using a spherical shell around the source, rather than around the detector, was used for the copper detectors only and is described in LA-740. The copper cross sections using aluminum and phosphorus detectors were obtained by the method of placing



UNULASSIFIED

UNCLASSIFIED



the spherical shell around the detector and monitoring the neutron flux with a similar detector on the other side of the source.

In obtaining the ursnium data, threshold detectors were placed inside a spherical shell of outside diameter 4.06 inches and inside diameter 0.83 inches, containing 10.81 kilograms of normal uranium metal. The final results for uranium were obtained from eighteen irradiations each using copper and aluminum foils and six irradiations using phosphorus foils. The limits of error placed upon the cross section values were obtained by taking into account the accuracy with which the densities were known as well as the probable errors involved in making the transmission measurements.

The results obtained with copper foils should represent very closely  $\sigma_{\rm c}$ , the cross section for formation of the compound nucleus. The experimental results are tabulated and also plotted against atomic weight. The curve represents the expression

$$\sigma_{\rm e} = \pi R^2$$

$$R = (2.5 \neq 1.1 \, {\rm A}^{1/3}) \times 10^{-13} \, {\rm cm}.$$

in which A is the atomic weight.


where





URPLASSIFIED

The difference between measured cross sections, obtained with detectors having different activation thresholds, is indicative of the relative number of neutrons ejected from the compound nucleus with energies lying between the two thresholds.






# INELASTIC COLLISION CROSS SECTIONS, $\sigma$ , OBTAINED WITH VARIOUS THRESHOLD DETECTORS

Element	Atomic Weight	Density gm/cc	Atoms per 10 <sup>-22</sup> cc	$\sigma$ Cu detector barns	Al detector barns	σ P detector barns
Be	9.02	1.70 ± .01	11.4 ± .1	0.82 ± .03	0.16 ± .08	
₽¥	10.20	1.08 ± .06	6.4 ± .5	0.69 ± .10	0.24 ± .04	
C	12.01	1.45 ± .01	7.26 ± .02	0.85 ± .02		
n	14.01	0.79 ± .02	3.40 ± .08	0.78 ± .14		
A1	26.97	2.61 ± .02	5.83 ± .05	1.06 ± .05	0.62 ± .07	
Fe	55.85	7.88 ± .04	8.48 ± .05	1.45 ± .02	1.21 ±.03	0.78 ± .03
Cu	63.57	8.92 ± .02	8.45 ± .02	1.51 ± .06	1.32 ± .05	0.87 ± .06
Cd	112.41	8.61 ± .05	4.61 ±.03	1.89 ± .06	1.66 ± .07	1.14 ± .04
Au	197.2	19.1 ± .2	5.83 ± .06	2.51 ± .04	2.06 ± .09	1.47 ± .10
Pb	207.2	11.3 ± .1	3.28 ± .03	2.56 ± .05	2.29 ± .04	0.91 ± .06
Bi.	209.0	9.74 ± .08	2.81 ± .03	2.56 ± .05	2.28 ± .08	1.03 ± .11
U	238.1	19.00 ± .07	4.81 ± .02	2.73 ± .04	2.16 ± .03	0.29 ± .08

APPROVED FOR PUBLIC RELEASE

B\* 82 per cent B<sup>10</sup>, 18 per cent B<sup>11</sup>



22

DOCUMENT ROOM

MED FIGH Lug-/

DATE 9-14-50

REC..... NO. REC.