

LA-UR-96- 1859

Title:

ALPHA-N AND SPONTANEOUS FISSION
SOURCES AND SPECTRA FROM INDIVIDUAL
PLUTONIUM ISOTOPES IN PuF₄ AND PuO₂

CONF-961103-17

Author(s):

R. T. Perry
W. B. Wilson

RECEIVED
JUN 28 1996
OSTI

Submitted to:

American Nuclear Society
1996 International Conference
Washington, DC
November 10-15, 1996

MASTER



Los Alamos
NATIONAL LABORATORY

Los Alamos National Laboratory, an alternative authority equal opportunity employer, is operated by the University of California for the U.S. Department of Energy under contract W-7405-ENG-36. By acceptance of this article, the publisher recognizes that the U.S. Government retains a nonexclusive, royalty-free interest in and the right to require return of the copyright to the U.S. Government if or when it desires to do so, for U.S. Government purposes. The Los Alamos National Laboratory requests that the publisher identify this article as work produced under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports individual freedom and a researcher's right to publish; therefore, the Laboratory is not institutionally review nor will it renege the ownership of a publication or guarantee its individual contributions.



DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

From ADP Dept 10
6/1/1996 10:00

DISCLAIMER

**Portions of this document may be illegible
in electronic image products. Images are
produced from the best available original
document.**

Alpha-n and Spontaneous Fission Sources and Spectra from Individual Plutonium Isotopes in PuF_4 and PuO_2

**R.T. Perry and W. B. Wilson
Los Alamos National Laboratory
Los Alamos, NM 87545**

Introduction

Plutonium-containing compounds vary widely in isotopic content, and as a result, the dose as function of isotopic content also varies considerably. Determination of the dose from neutrons, decay and capture gammas from plutonium in the form of compounds, thus requires that the spontaneous fission (SF) and alpha-n (α,n) source and spectra from each individual isotope be known.

To facilitate dose calculations from plutonium-containing compounds, we have calculated the spontaneous fission and (α,n) sources and spectra for 1 g of each of the plutonium isotopes in the form of either PuF_4 or PuO_2 . As ^{241}Am is often a component in a mixture of plutonium isotopic compounds, the source and spectra from 1 g of ^{241}Am mixed with PuF_4 or PuO_2 has also been determined. Using these results, the neutron source and spectra may be determined for any sample composition.

Methods

The neutron sources and spectra were calculated using the SOURCES¹ code and library. The code is under development. The code determines (β^-,n) delayed, spontaneous fission and (α,n) neutron sources and spectra due to the decay of a radionuclides in homogeneous media. Spontaneous fission spectra are calculated with evaluated half-life, SF branching, and v data using Watt spectrum parameters for 43 actinides. The (α,n) spectra are calculated with a library of nuclide decay alpha spectra, evaluated (α,n) cross sections and product nuclide level branching fractions, and functional α stopping cross sections using an assumed isotropic neutron angular distribution in the center-of-mass system.

Results

The neutron source strength from spontaneous fission and (α, n) reactions for 1 g of each isotope are given in Table 1. The alphas from ^{241}Am are assumed to slow down in either PuF_4 or PuO_2 . The source for ^{243}Pu is from spontaneous fission alone as this isotope decays only by beta emission.

The combined SF and (α, n) spectra for each isotope, in the form PuO_2 or PuF_4 , is given in Tables 2 and 3. The first 22 energy groups correspond to those of the MATXS7 69 group neutron transport cross section library.² The broad final group contains so few neutrons as to be insignificant. Each spectra is normalized to the total source strength for 1 g of a particular isotope. The spectra for ^{241}Am are those produced from alpha particles slowing down in either PuO_2 or PuF_4 . The spectra for ^{243}Pu are the spontaneous fission spectra alone.

Conclusion

The absolute source and spectra for any combination of isotopes may be obtained using the results in Tables 1, 2, and 3. This source, spectra, and a coupled neutron-gamma library input into a transport code, then, would provide a method of determining dose from samples of PuO_2 or PuF_4 .

References

1. W.B. Wilson, R.T. Perry, J.E. Stewart, T.R. England, D. G. Madland, and H.D. Arthur, "Development of the SOURCES Code and Data Library for the Calculation of Neutron Sources and Spectra from (α, n) Reactions, Spontaneous Fission, (B, n) Delayed Neutrons," Los Alamos National Laboratory progress report LA-9841-PR, pp. 65-66, Los Alamos National Laboratory (August 1993).
2. RSIC Data Library Collection, "MATXS7A - 69 Neutron Group Cross Section Library in MATXS," Oak Ridge National Laboratory report ORNL-DL-C-117 (December 1985).

Table 1
Alpha-n and Spontaneous Fission Neutron Source Strength
for One Gram of Metal for Plutonium Isotopes in the Form of
PuO₂ or PuF₄ and ²⁴¹Am in PuO₂ or PuF₄

Isotope	Spontaneous Fission neutrons/gm	PuO ₂ alpha-n neutrons/gm	PuO ₂ total source neutrons/gm	PuF ₄ alpha-n neutrons/gm	PuF ₄ total source neutrons/gm)
²³⁸ Pu	2.687E+03	1.412E+04	1.671E+04	2.175E+06	2.178E+06
²³⁹ Pu	2.181E-02	4.013E+01	4.015E+01	5.653E+03	5.653E+03
²⁴⁰ Pu	1.026E+03	1.481E+02	1.174E+03	2.091E+04	2.194E+04
²⁴¹ Pu	4.939E-02	1.357E+00	1.406E+00	1.704E+02	1.706E+02
²⁴² Pu	1.717E+03	2.150E+00	1.719E+03	2.896E+02	1.987E+03
²⁴³ Pu	6.618E-02	0.000E+00	6.618E-02	0.000E+00	6.618E-02
²⁴⁴ Pu	1.900E+03	7.531E-03	1.900E+03	7.628E-01	1.901E+03
²⁴¹ Am	1.182E+00	2.817E+03	2.818E+03	4.331E+05	4.331E+05

Table 2
Neutron Spectra Normalized to Total Source Strength for
Plutonium Isotopes in the Form of PuO_2 and ^{241}Am in PuO_2

Group Upper Energy Boundary, MeV	$^{238}\text{PuO}_2$ neutrons per group	$^{239}\text{PuO}_2$ neutrons per group	$^{240}\text{PuO}_2$ neutrons per group	$^{241}\text{PuO}_2$ neutrons per group	$^{243}\text{PuO}_2$ neutrons per group	$^{244}\text{PuO}_2$ neutrons per group	^{241}Am in PuO_2 neutrons per group	
1.000E+01	5.453E+01	5.260E-04	1.702E+01	9.961E-04	3.119E+01	7.996E-04	1.809E+01	3.406E-02
6.065E+00	9.529E+02	7.400E-01	1.067E+02	1.733E-02	1.802E+02	5.819E-03	1.503E+02	1.302E+02
3.679E+00	6.533E+03	1.661E+01	2.827E+02	5.551E-01	3.737E+02	1.373E-02	3.828E+02	1.189E+03
2.231E+00	3.233E+03	1.297E+01	2.952E+02	4.519E-01	4.116E+02	1.622E-02	4.706E+02	9.219E+02
1.353E+00	2.302E+03	6.332E+00	2.125E+02	2.383E-01	3.133E+02	1.275E-02	3.767E+02	3.693E+02
8.210E-01	9.679E+02	2.324E+00	1.250E+02	9.520E-02	1.927E+02	7.936E-03	2.361E+02	1.377E+02
5.000E-01	4.084E+02	8.270E-01	6.805E+01	3.320E-02	1.076E+02	4.446E-03	1.325E+02	5.057E+01
3.025E-01	1.413E+02	2.129E-01	3.417E+01	8.491E-03	5.530E+01	2.285E-03	6.808E+01	1.728E+01
1.830E-01	5.994E+01	7.331E-02	1.673E+01	3.349E-03	2.729E+01	1.127E-03	3.353E+01	4.101E+00
1.110E-01	2.756E+01	2.951E-02	8.114E+00	1.537E-03	1.329E+01	5.479E-04	1.629E+01	1.673E+00
6.734E-02	1.285E+01	1.257E-02	3.896E+00	6.775E-04	6.392E+00	2.634E-04	7.827E+00	7.215E+01
4.085E-02	5.983E+00	5.386E-03	1.858E+00	2.990E-04	3.053E+00	1.257E-04	3.734E+00	3.117E+01
2.478E-02	2.833E+00	3.481E-03	8.832E-01	1.390E-04	1.432E+00	5.978E-05	1.775E+00	1.464E+01
1.503E-02	1.354E+00	1.196E-03	4.188E-01	6.608E-05	6.885E-01	2.834E-05	8.412E-01	7.110E-02
9.118E-03	6.462E-01	5.739E-04	1.985E-01	3.197E-05	3.262E-01	1.342E-05	3.985E-01	3.166E-02
5.530E-03	2.869E-01	2.561E-04	8.754E-02	1.118E-05	1.439E-01	5.923E-06	1.758E-01	1.555E-02
3.519E-03	1.463E-01	1.301E-04	4.451E-02	7.208E-06	7.309E-02	3.012E-06	8.935E-02	7.981E-03
2.139E-03	7.476E-02	6.650E-05	2.259E-02	3.678E-06	3.714E-02	1.526E-06	4.537E-02	4.119E-03
1.425E-03	3.813E-02	3.403E-05	1.145E-02	1.878E-06	1.890E-02	7.768E-07	2.302E-02	3.128E-03
9.069E-04	2.921E-02	2.624E-03	8.780E-03	1.444E-06	1.446E-02	5.926E-07	1.766E-02	1.670E-03
3.673E-04	7.626E-03	6.793E-06	2.290E-03	3.732E-07	3.674E-03	1.520E-07	4.504E-03	4.457E-04
1.487E-04	1.573E-03	1.510E-06	4.901E-04	8.392E-08	8.521E-04	3.653E-08	1.033E-03	1.002E-04
7.550E-05	8.904E-04	8.182E-07	2.717E-04	4.081E-08	4.343E-04	1.713E-08	5.291E-04	5.382E-05

Table 3
Neutron Spectra Normalized to Total Source Strength for
Plutonium Isotopes in the Form of PuF_4 and ^{241}Am in PuF_4

Group Upper Energy Boundary, MeV	$^{238}\text{PuF}_4$ neutrons per group	$^{239}\text{PuF}_4$ neutrons per group	$^{240}\text{PuF}_4$ neutrons per group	$^{241}\text{PuF}_4$ neutrons per group	$^{242}\text{PuF}_4$ neutrons per group	$^{243}\text{PuF}_4$ neutrons per group	$^{244}\text{PuF}_4$ neutrons per group	^{241}Am in PuF_4 neutrons per group
1.000E+01	5.453E+01	5.260E-04	1.702E+01	9.961E-04	3.119E+01	7.996E-04	1.809E+01	3.406E-02
6.065E+00	2.906E+02	2.588E-03	1.039E+02	5.425E-03	1.802E+02	5.819E-03	1.503E+02	1.513E-01
3.679E+00	1.854E+05	2.737E+02	1.251E+03	4.243E+00	3.794E+02	1.373E-02	3.828E+02	3.640E+04
2.231E+00	8.089E+05	2.046E+03	7.831E+03	5.592E+01	4.992E+02	1.622E-02	4.707E+02	1.610E+03
1.353E+00	5.803E+05	1.853E+03	7.008E+03	6.354E+01	4.136E+02	1.275E-02	3.770E+02	1.159E+05
8.210E-01	2.936E+05	7.430E+02	2.855E+03	2.773E+01	2.365E+02	7.936E-03	2.363E+02	5.827E+04
5.000E-01	1.721E+05	3.763E+02	1.464E+03	1.076E+01	1.246E+02	4.446E-03	1.326E+02	3.416E+04
3.025E-01	8.179E+04	1.932E+02	7.542E+02	4.497E+00	6.237E+01	2.285E-03	6.810E+01	1.633E+04
1.830E-01	3.342E+04	9.743E+01	3.782E+02	2.006E+00	3.044E+01	1.127E-03	3.354E+01	6.680E+03
1.110E-01	1.323E+04	4.118E+01	1.598E+02	9.409E-01	1.476E+01	5.479E-04	1.629E+01	2.644E+03
6.734E-02	5.136E+03	1.625E+01	6.389E+01	4.440E-01	7.090E+00	2.634E-04	7.828E+00	1.025E+03
4.085E-02	2.158E+03	7.026E+00	2.789E+01	2.264E-01	3.410E+00	1.257E-04	3.735E+00	4.304E+02
2.478E-02	9.313E+02	3.139E+00	1.250E+01	1.053E-01	1.619E+00	5.978E-05	1.775E+00	1.854E+02
1.503E-02	4.929E+02	1.371E+00	5.475E+00	4.489E-02	7.597E-01	2.834E-05	8.413E-01	7.801E+01
9.448E-03	1.671E+02	5.931E-01	2.368E+00	1.895E-02	3.564E-01	1.347E-15	3.985E-01	3.322E+01
5.530E-03	6.832E-01	2.441E-01	9.864E-01	7.736E-03	1.563E-01	5.923E-06	1.758E-01	1.364E+01
3.519E-03	3.327E-01	1.193E-01	4.844E-01	3.747E-03	7.906E-02	3.012E-06	8.915E-02	6.652E+00
2.239E-03	1.635E-01	5.879E-02	2.389E-01	1.831E-03	4.005E-02	1.526E-06	4.537E-02	3.269E+00
1.425E-03	8.130E-01	2.932E-02	1.189E-01	9.060E-04	2.034E-02	7.768E-07	2.302E-02	1.626E+00
9.069E-04	6.146E-01	2.218E-02	9.000E-02	6.830E-04	1.555E-02	5.936E-07	1.766E-02	1.129E+00
6.073E-04	1.570E-01	5.672E-03	3.306E-02	1.742E-04	3.951E-03	1.520E-07	4.504E-03	3.140E-01
4.487E-04	3.469E-01	1.252E-03	5.070E-03	3.855E-05	9.134E-04	3.654E-08	1.033E-03	6.919E-02
3.550E-05	1.873E-01	6.773E-04	2.753E-03	2.078E-05	4.673E-04	1.713E-08	5.292E-04	3.746E-02

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.