

38 00371 0307

LEGAL NOTICE

This report was prepared as an account of Government sponsored work. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this report, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this re-

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

Printed in USA Price \$1.75 Available from the Office of Technical Services

U. S. Department of Commerce Washington 25, D. C.



SIX AND SIXTEEN GROUP CROSS SECTIONS FOR FAST AND INTERMEDIATE CRITICAL ASSEMBLIES

38 00371 0307 38 00371 0307

o m

LAMS-2543 PHYSICS (TID-4500, 16th Ed.)

· . .

.

LOS ALAMOS SCIENTIFIC LABORATORY OF THE UNIVERSITY OF CALIFORNIA LOS ALAMOS NEW MEXICO

REPORT WRITTEN: November 1961

REPORT DISTRIBUTED: December 6, 1961

SIX AND SIXTEEN GROUP CROSS SECTIONS FOR FAST AND INTERMEDIATE CRITICAL ASSEMBLIES

by

Gordon E. Hansen William H. Roach



Contract W-7405-ENG. 36 with the U.S. Atomic Energy Commission

All LAMS reports are informal documents, usually prepared for a special purpose and primarily prepared for use within the Laboratory rather than for general distribution. This report has not been edited, reviewed, or verified for accuracy. All LAMS reports express the views of the authors as of the time they were written and do not necessarily reflect the opinions of the Los Alamos Scientific Laboratory or the final opinion of the authors on the subject.

ABSTRACT

This report lists six group neutron cross sections of the more common fissionable isotopes for study of fast neutron critical assemblies and sixteen group cross sections of the more common reactor material for study of intermediate neutron critical assemblies. Data sources and averaging scheme used for the development of these multigroup parameters are also given.

PREFACE

This document consists of the two informal reports N-2-731 and N-2-753 concerning multigroup parameters for fast and intermediate critical assemblies. These reports were intended as "work sheets" which could be revised repeatedly as additional neutron cross section data became available and/or as our errors in interpretation of existent data or plain arithmetic errors were uncovered. The incorporation of the current versions as a LAMS report merely facilitates referencing and implies no special permanence in the listed parameter values.

. • -

SIX GROUP CROSS SECTIONS FOR U-233, U-235, U-238, Pu-239, AND Pu-240

The appended set of multigroup parameters for Uranium and Plutonium isotopes is a modernization of that given in an internal document and again is intended primarily for S_n method calculations pertaining to Pajarito fast critical and exponential assemblies data. Although a number of important gaps in experimental cross-section information have been filled in the last couple years, some guiding "principles" are still required to complete the six group parameter listings. The cross-section data and "principles" used are as follows:

I. Fission Cross Sections: σ_f (U-233), σ_f (U-235), σ_f (U-238), and σ_f (Pu-239) are from D. W. Allan, R. L. Henkel, "Progress in Nuclear Energy" Series I, Vol. II. (The corrected LA-1714 data for Pu-239 and U-238 presented in the above paper are given highest weight.) σ_f (Pu-240) is from R. L. Henkel (Unpublished). The energy range of interest is completely covered.

II. Fission Spectrum: Fifty-fifty split of the Rosen and Watt type formula, $E^{1/2}e^{-0.775E}$ and $e^{-E/0.965}$ sinh (2.29E)^{1/2}, is given by Cranberg, Frye, Nereson, and Rosen (Phys. Rev. 103, 662, 1956). The Rosen formula fits the

spectral data on U-235 fission better than the Watt formula, especially for low neutron energies, the 50-50 split being a compromise to help boost the fission spectrum averaged U-238 fission cross section towards Leachman's experimental value. Despite the evidence that the fission neutron spectrum of Pu-239 is harder than that of U-235 (Grundl and Neuer), the above split is adopted for all U and Pu isotopes and for all fission-inducing neutron energies. Two arguments for this simplification are: 1) some "experimental" determinations of inelastic scattering parameters have involved this assumption, and 2) the present S_n code handles only a unique fission spectrum.

III. Number of Neutrons per Fission: Thermal ν values are taken as lower limits of those given in BNL-325 for U-233, U-235, and Pu-239; ν (U-238, E ~ 1.6 mev) is taken from Leachman (International Conference on the Peaceful Uses of Atomic Energy, Vol. II, 193, 1956); ν (Pu-240) is obtained from reactivity coefficient measurements at Pajarito and the assumption σ_c (Pu-240) = σ_c (U-238). $d\nu/dE$ is taken as roughly constant (Leachman and Terrell theories) and intermediate in value between that indicated by spontaneous fission ν (Pu-240) vs. thermal fission ν (Pu-239) and by Leachman (loc. cit.).

IV. Capture Cross Sections: σ_c (U-238) is from

BNL-325 and H. Newson (Duke Univ., 1956, unpub.). σ_{c} (U-235) for $0.2 \leq E \leq 1$ mev is from α (U-235) data of B. C. Diven, J. Terrell, and A. Hemmendinger, Phys. Rev. 109, 144-150 (1958). Little data are available on σ_{c} (U-233), σ_{c} (Pu-239), and σ_{c} (Pu-240); but burnout measurements, principally at Argonne (Okrent, International Conference on the Peaceful Uses of Atomic Energy, Vol. 5, 347, 1956) indicate σ_{c} (Pu-239) and σ_{c} (U-235) to be similar monotonically decreasing functions of energy not unlike σ_{c} (U-238). Gaps are filled by taking σ_{c} (U-233) $\stackrel{\sim}{=} \sigma_{c}$ (Pu-240) $\stackrel{\sim}{=} \sigma_{c}$ (U-238) and energy dependences as similar to σ_{c} (U-238) as permitted by the Diven, et al., and Argonne data.

V. Inelastic Cross Sections: Inelastic transfer parameters for U-238 for incident neutron energies less than 2 mev are obtained from the data of Cranberg and Levin, "Inelastic Neutron Scattering by U-238" - internal Los Alamos report. Their general heavy element data together with the 14 mev data of Graves and Rosen (Phys. Rev. <u>89</u>, 343, 1953) indicate the utility of the statistical $-E/\beta \sqrt{E}_{O}$ with $\beta \simeq 0.2$ (mev)^{1/2} and incident neutron energy $E_{O} \ge 2.5$ mev. The measurements of Batchelor (AERE NP/R 1629) and Bethe, Beyster, and Carter (LA-1939), although in less detail, give additional confirmation, the net result being that, for

U-238, the inelastic multigroup parameters are adequately determined. Inelastic transfer parameters for the other isotopes are obtained with the help of the following "principles" which do not appear to overly violate existing data (BNL-325, LA-1939, and Cranberg and Levin): 1) the nonelastic cross sections of the Pu and U isotopes are the same (a prediction of the cloudy crystal ball model), 2) the level spacing parameter β , and hence inelastic spectra, are similar for the Pu and U isotopes (a prediction of the statistical model). Specifically, both the results of Cranberg and Levin and of LA-1939 indicate that inelastic spectra from U-235 and Pu-239 are a little softer than from U-238 for $1 \leq E_0 \leq 2$ mev, and we assume this difference in spectral character persists for $E_0 < 1$ mev.

VI. Transport Cross Sections: These are from $\sigma_{tr} = \sigma_{t} - \sigma_{el.} + (\sigma_{el.})_{tr}$, thus assuming isotropicity of fission neutrons and inelastically scattered neutrons. Angular distributions of elastically scattered neutrons from U-235, Pu-239, and U-238 are obtained from BNL-400 and some additional Los Alamos results (Walt and Beyster, Cranberg and Levin, and Allen). Some of these data presumably include small amounts of inelastic scattering, e.g., due, in U-238, to excitation of the 45 kev level. To fill in gaps, $(\sigma_{el.})_{tr}/(\sigma_{el.})$ is assumed to be the same function of

energy for all Pu and U isotopes.

Fission spectrum, $\chi(E)$, weighting within energy groups is used throughout. Cross-section information is graphed in Figs. 1-8 against $\int_{0}^{E} \chi(E) dE$. Multigroup parameters are given in Tables I-VI and six group activation cross sections for a number of "detector" elements are given in Table VII. The "detector" cross sections are based on data given in BNL-325, LA-2122, and on data from B. C. Diven $(\sigma_{n,\gamma} \text{ of gold})$, J. D. Knight $(\sigma_{n,2n} \text{ of U-238})$, and AERE/ TP/21 $(\sigma_{n,\gamma} \text{ of U-238})$ and Th-232) by J. Lynn and A. Lane.







.





Fig. 3 Energy dependence of U-235 and U-238 capture cross sections over the range of the fission neutron spectrum.



Fig. 4 Energy dependence of inelastic scattering cross sections over the range of the fission neutron spectrum.



Fig. 5 Partial inelastic cross sections of U-238 for scattering into the labeled energy groups.

•

. .



Fig. 6 Energy dependence of elastic scattering cross sections over the range of the fission neutron spectrum.



.

• •

Fig. 7 Energy dependence of the ratio of transport elastic to total elastic cross sections.

18

٠

•



Fig. 8 Energy dependence of total and transport cross sections over the range of the fission neutron spectrum.

		SIX GRO	UP SPECIFICAT	IONS		
Group No.	1	2	3	4	5	6
En. range	0-0.1	0.1-0.4	0.4-0.9	0.9-1.4	1.4-3.0	3.0-∞
Vel.(cm/sh)	2.9	6.7	11.0	14.7	19.9	28.5
Fission Spectrum	0.014	0.090	0.180	0.168	0.344	0.204
E(Mev)*	0.059	0.26	0.65	1.14	2.10	4.41
			U-235			
ν	2.44	2.46	2.49	2.53	2.62	2.94
σ _f	2.34	1.43	1.20	1.22	1.22	1.21
σ _c	0.6	0.23	0.15	0.11	0.08	0.05
σ _{tr}	12.0	7.9	5.2	4.65	4.5	4.25
°i–>i	9.06	6.16	3.42	2.30	1.77	1.20
^σ i→i-l		0.08	0.35	0.55	0.24	0.27
^σ i->i-2			0.08	0.40	0.67	0.37
^σ i−>i−3				0.07	0.45	0,65
σ _{i→>i-4}					0.07	0.44
^σ i→i-5			•			0.06
νσ _f	5.71	3.518	2.988	3.087	3.196	3.557

TABLE I

- .

*Flux averaged group neutron energy.

·.·.

÷

			U -23 8			
Group	1	2	3	4	5	6
ν	0	0	0	2.46	2.50	2.80
σ_{f}	0	0	0	0.044	0.485	0.616
σ _{n,2n}	0	0	0	0	0	0.07
σ	0.40	0.16	0.14	0.10	0.05	0.02
σ_{tr}	11.8	8.2	5.25	4.50	4.4	4.00
σ i—>i	11.4	7.96	4.53	2.9 06	1.825	1.254
σ i→i-l		0.08	0.50	0.80	0.35	0.33
^σ i->i-2			0.08	0.55	0.96	0.46
^σ 1—>1-3				0.10	0.64	0.79
σ i—>i-4					0.09	0.53
^σ i->i-5						0.07
νσ _f	0	0	0	0.108	1.213	1.725

TABLE II

			Pu-239			
Group	1	2	3	4	5	6
ν	2.86	2.88	. 2.93	2.99	3.09	3.48
σ _f	2.05	1.67	1.70	1.83	1.95	1.90
σ	0.5	0.17	0.11	0.07	0.05	0.03
σ_{tr}	12.0	8.4	5.7	4.8	4.5	4.25
σ i–>i	9.45	6.51	3.55	2.09	1.42	1.05
σ _{i->i-1}		0.05	0.29	0.45	0.18	0.20
^σ i->i-2			0.05	0.30	0.50	0.27
σ i->i-3				0.06	0.35	0.45
σ _{i->i-4}					0.05	0.31
^σ i->i-5						0.04
ν _σ f	5.863	4.810	4.981	5.472	6.026	6.612

TABLE III

_ <u></u>		Pu-	-239 Revi	.sed*		
Group	1	2	3	4	5	6
Energy	01	.14	.49	.9-1.4	1.4-3	3–∞
X	.013	.084	.170	.161	.347	.225
νσ _f	5.863	4.810	4.981	5.472	6.026	6.517
σ _{tr}	12.0	8.4	5.7	4.8	4.5	4.25
σ _{i->i}	9.45	6.51	3.64	2.28	1.51	1.20
σ i->i- 1		.05	.20	.37	.30	.20
^σ i->i-2			.05	•21	•40	•30
$\sigma_{i \rightarrow i-3}$.04	.25	.38
^σ i->i-4					.04	.21
σ i->i-5						.03
$(\nu_{-1-\alpha})$	σ _f 3.313	2.970	3.17 1	3.572	4.026	4.587

TABLE IV

This revised set has smaller inelastic scattering cross sections and yields predicted spectral index values of Jezebel in better agreement with observation. Note that the fission spectrum, χ , is somewhat different also; it is more energetic than χ (U-235).

					·····			
Pu-240								
Group	1	2	3	4	5	6		
ν		3.18	3.23	3.30	3.42	3.72		
σ_{f}	0	0.05	0.77	1.39	1.54	1.60		
σ	0.60	0.23	0.15	0.11	0.08	0.05		
σ _{tr}	11.8	8.2	5.45	4.65	4.5	4.25		
σ i ->i	11 .2	7.87	4.07	2 .2 4	1.62	1.03		
^σ i->i-1		0.05	0.40	0.50	0 .2 2	0 .2 4		
^σ i->i-2			0.06	0.35	0.58	0.33		
^σ i->i -3				0.06	0.40	0.55		
^σ i->i-4					0.06	0.40		
^σ i->i-5						0.05		
νσ f	0	0.159	2.487	4.587	5.267	5.952		

TABLE V

.

.

· •

. . .

.

.

		<u> </u>	-233			
Group	1	2	3	4	5	6
ν	2.51	2.53	2.57	2.61	2.70	3.02
σ_{f}	3.23	2 .2 4	1.94	1.89	1.83	1.75
σ _c	0.40	0.15	0.11	0.08	0.06	0.04
σ_{tr}	11.8	8.1	5.3	4.6	4.5	4.25
σ _{i->i}	8.17	5.66	2.91	1.82	1.53	1.19
σ _{i->i-1}		0.05	0.29	0.45	0.18	0.20
σ i->i-2			0.05	0.30	0.50	0.27
σ _{i->i-3}				0.06	0.35	0.45
σ _{i->i-4}					0.05	0.31
^σ i->i-5						0.04
$\nu_{\sigma_{f}}$	8.107	5.667	4.986	4.933	4.941	5.285

TABLE VI

	S	IX-GROUP DET	ECTOR CROSS	SECTIONS	-	
Group	1	2	3	4	5	6
En. (Mev)	0-0.1	0.1-0.4	0.4-0.9	0.9-1.4	1.4-3.0	3.0-∞
σ _{n,2n} (U-238)	Ò	0	0	0	0	0.07
σ _f (U-238)	0	0	Θ	0.044	0.485	0.616
σ _f (Th-232)	0	0	0	0.009	0.10	0.16
σ _f (U-236)	0	0	0.064	0.51	0.76	0.96
σ _f (Np-237)	0	0.069	0.95	1.63	1.72	1.63
σ _f (U-234)	0	0.065	0.85	1.20	1.34	1.41
σ _f (Pu-239)	2.05	1.67	1.70	1.83	1.95	1.90
σ _f (U-235)	2.34	1.43	1.20	1.22	1.22	1.21
σ _f (U-233)	3.23	2.24	1.94	1.89	1.83	1.75
σ _{n,α} (Li ⁶)	1.10	1.76	0.43	0.26	0.21	0.08
σ _{n,γ} (Au)	0.60	0.25	0.14	0.10	0.06	0.02
σ _{n,α} (B)	0.61	0.27	0.08	0.04	0,06	0.04
σ _{n,γ} (U-238)	0.40	0.16	0.14	0.10	0.05	0.02
$\sigma_{n,\gamma}$ (Th-232)	0.46	0.21	0.13	0.07	0.05	0.02

TABLE VII

SIXTEEN GROUP CROSS SECTIONS

The set of sixteen group cross sections given here was prepared primarily for calculations of homogeneous epithermal critical systems with the view of testing the importance of resonance shielding on criticality. The top five energy groups are identical with and have the same cross-section specifications as those in the six group set used for Pajarito metal systems, e.g., employ fission spectrum weighting. With one exception, specification of the remaining group cross sections is by means of flat collision density (in lethargy) flux weighting; e.g., $< \sigma_{\rm tr} >_{\rm i} = \int_{\rm i} {\rm du}/\sigma / \int_{\rm i} {\rm du}/\sigma\sigma_{\rm tr}$ with BNL-325 and BNL-400 as the data source. The exception is in the specification of capture and fission group cross sections in the resonance region where $< \sigma_{\rm x} >_{\rm i}$ (x = n, γ or n, f) is defined by

$$\langle \sigma_{\mathbf{x}} \rangle_{\mathbf{i}} = \frac{1}{\Delta u_{\mathbf{i}}} \sum_{\mathbf{r}} \frac{\frac{\pi}{2} \sigma_{\mathbf{xr}}^{\circ} \mathbf{f_r}' \mathbf{E_r}}{(1 + \sigma_{\mathbf{r}}^{\circ} / \sigma_{\mathbf{s}})^{1/2}}$$
 for $\mathbf{E} \leq 3$ kev,

or
$$\frac{1}{\Delta u_i} \int_i \sigma_x du$$
 for $E \ge 3$ kev,

where the resonances, r, are given their non-Doppler broadened widths (BNL-325 and extrapolation using Porter-Thomas distribution of neutron widths), σ_r^0 denotes the

presently - to group ?

maximum reaction cross section rather than total cross section of the r^{th} resonance, and σ_s is the potential scattering cross section of the medium per atom of the reacting element. The above formula thus neglects the effects of Doppler broadening, resonance scattering, and resonance overlap, the first two effects being somewhat compensatory, and the last partially justifying the resonance structure cut-off artifice at 3 kev. This oversimplified approach is, nevertheless, expected to yield the gross features of resonance self-shielding.

The effective capture and fission group cross sections for U-235, U-238, Pu-239, U-233, Th-232, and Pu-240 in the resonance region are graphed against σ_s in Figures 9-17. The tabulated sixteen group cross sections for these isotopes are those for infinite dilution. For finite dilution, the graphs must be used and the transport cross sections recomputed. The implied effective resonance integral for U-238 compares favorably with the 300[°] results of Dresner (Nuc. Sci. and Eng., Vol. 1, No. 1, 1946) for $\sigma_c > 200b$ and is too large by ~ 30% at $\sigma_c = 45b$.

On file at T-1 are the labeled sets of 16 group cross sections of fissionable isotopes corresponding to the following values of σ_{a} per atom:

Telecon with Hansen OS - for light elements Os is constant across the res. region for heavy elements, e.g. U, Hansen usually repores them since they can not always matter a across the resonand. a value at 100 er is traced

a man	سر فيقو 100 المن ا	ypica			
$\sigma_{s}(barns$		1	Lab	<u>el</u>	
per atom)	u ²³⁵	บ ²³⁸	บ ²³³	Pu ²³⁹	Pu²⁴⁰
20	25-1	28-1	23-1	49-1	
40	25-2	28-2	23-2	49 -2	-
50	-	-	-	-	40-1
60	25-3	28-3	23-3	49-3	-
100	25-4	28-4	23-4	49-4	40 -2
200	25-5	28-5	23-5	49-5	40-3
400	25-6	28-6	23-6	49-6	40-4
60 0	25-7	28-7	23-7	49-7	40-5
1×10^{3}	25-8	28-8	23-8	49-8	40-6
2×10^{3}	25-9	28-9	23-9	49-9	40-7
4×10^3	25– 10	28-10	23– 10	49-10	40 8
6×10^3	25– 11	28-11	23-11	49-11	40-9
1×10^4	25-12	28-12	23-12	49-12	40-10
2×10^4	-	28-13	-	49-13	40-11
4×10^4	-	28–1 4	-	49-14	40-12
6×10^{4}	-	28-15	-	49-15	40-13
1×10^{5}	-	28-16	-	49-16	40-14
2×10^{5}	-	-	-	-	40-15
4×10^{5}	-	-	-	-	40-16
6 x 10 ⁵	-	-	-	-	40-17

Finally, for Hydrogen and Deuterium, two-table multigroup cross sections are given for use with S_n calculations in the "linear approximation." Here, if the differential scattering cross section is represented as $\sigma_s(E' \rightarrow E) dE =$ $\sigma_s(\mu) d\mu = 1/2 \Sigma \sigma_{s,n}(E) P_n(\mu)$, the multigroup parameters are

U-233

Pu-239

28-Y

40-18

Pu-240

 1×10^{6}

25-Y

defined by

. . . .

Table A
$$\begin{cases} "\sigma_{tr}" = \sigma_{t} - \sigma_{s,2}/5 \\ \sigma_{g->g}' = \int \phi(E) dE \sigma_{s}(E->g') \\ \frac{g}{\int_{g} \phi(E) dE} - \delta_{gg'} (\sigma_{s,2}/5) g \end{cases}$$

- - - -

•

•

Table B
$$\sigma_{g \rightarrow g'} = \int_{g}^{\phi(E)} dE \int_{s}^{\sigma(E \rightarrow E')} \mu(E', E) dE'$$

$$= \int_{g}^{\phi(E)} dE$$
$$= \int_{g}^{\delta_{gg'}} (\sigma_{s,2}/5)_{g}$$



.

Fig. 9 Shielded capture cross sections for Pu^{240} .



•

.

Fig. 10 Shielded capture cross sections for U^{235} .

•

32

٠

.



Fig. 11 Shielded fission cross sections for U^{235} .


•

•

Fig. 12 Shielded capture cross sections for U^{233} .

34

•

.



.

Fig. 13 Shielded fission cross sections for U^{233} .

35

 $\mathbf{x}^{(i)}$

.



Fig. 14 Shielded Capture Cross Sections for Pu²³⁹.

. . .

36

• •



Fig. 15 Shielded Fission Cross Sections for Pu^{239} .

37

•

.



:

•



.

1

38 8

•



Fig. 17 Shielded Capture Cross Sections for Th^{232} .

	SIXTEEN C	GROUP SP	ECIFICATIONS	
Group	En. Range	∆u	v(cm/shake)	$\chi^{\tt Fission}_{\tt Spectrum}$
1	$3 - \infty$ mev		28.5	0.204
2	1.4 - 3 mev	0.762	19 .9	0.344
3	0.9 - 1.4 mev	0.442	14.7	0.168
4	0.4 - 0.9 mev	0.811	11.0	0.180
5	0.1 - 0.4 mev	1.386	6.7	0.090
6	17 - 100 kev	1.772	2.70	0.014
7	3 - 17 kev	1.735	1,14	0
8	0.55 - 3 kev	1.696	0.480	0
9	100 - 550 ev	1.705	0.206	0
10	30 - 100 ev	1.204	0.101	0
11	10 - 30 ev	1.099	0.0566	0
12	3 - 10 ev	1 .20 4	0.0319	0
13	1 - 3 ev	1.099	0.0179	0
14	0.4 - 1 ev	0.916	0.0109	0
15	0.1 - 0.4 ev	1.386	0.00606	0
16	Thermal (0.025)		0.00218	0

TABLE VIII

.

۰.

....

				P	u-239					
Group	σ _f	σ _{n,γ}	^o tr	^ν σ _f	^σ i->i	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$	$\sigma_{i \rightarrow i+3}$	$\sigma_{i \rightarrow i+4}$	$\sigma_{i \rightarrow i+i}$
1	1.90	0.03	4.25	6.612	1.05	0.20	0 .2 7	0.45	0.31	0.04
2	1.95	0.05	4.5	6.026	1.42	0.18	0.50	0.35	0.05	
3	1.83	0.07	4.8	5.472	2.09	0.45	0.30	0.06		
4	1.70	0.11	5.7	4.981	3.55	0.29	0.05			
5	1.67	0.17	8.4	4.810	6.51	0.05				
6	1.92	0.38	13.2	5.491	10.85	0.05				
7	2.5	1.0	13.5	7.150	9.96	0.04				
8	4.2	2.5	16.7	12.01 2	9.96	0.04				
9	16.5	8.6	35.1	47.19	9.96	0.04				
10	42.	41.	93.	120.1 2	9.94	0.06				
11	78.	55.	143.	223.08	9.93	0.07				
12	24.	19.	53.	68.64	9.94	0.06				
13	20.	3.	33.	57.2	9.93	0.07				
14	139.	85.	234.	397.54	9.92	0.08				
15	1221.	792.	2023.	3492. 06	9.94	0.06				
16	705.	275.	990.	2016.3	10.0					

TABLE IX

	•					Pu-240)				
Group	σ _{n,f}	<u>σ</u> ,γ	$\sigma_{\rm s}^{\rm el}$	<u></u>	νσ n,f	i_→i	<u>σ</u> <u>i->i+1</u>	$\sigma_{i \rightarrow i+2}$	σ i->i+3	^σ i->i+4	^σ i—>i+5
1	1.60	0.05		4.25	5.952	1.03	0.24	0.33	0.55	0.40	0.05
2	1.54	.08		4.5	5.267	1.62	•22	.58	.40	.06	
3	1.39	•11		4.65	4.587	2.24	. 50	.35	.06		
4	0.77	.15		5.45	2.487	4.07	.40	.06			
5	.05	.23		8.2	0.159	7.87	•05				
6	0	.45	11	11.45	0	10.95	.05				
7	0	.7	11	11.7	0	10.95	.05				
8	0	2.0	11	13	0	10.95	•05				
9	0	11	11	22	0	10.95	.05				
10	0	60	11	71	0	10.92	.08				
11	0	31	12	43	0	11.91	•09				
12	0	24	15	39	0	14 .90	.10				
13	1.4 6	640	508	7149.4	4.2	504.14	3.86				
14	0.2	898	38	936.2	0.6	37.65	0.35				
15	0	140	11	151	0	10.93	.07				
16	0.03 2	252	11	263.03	0.09	11					

-

-

<u></u>		<u></u>		<u></u>	TABL	E XI			· · · · · · · · · · · · · · · · · · ·	
				· ·	U-2:	33				
Group	σ _f	<u>σ</u> <u>n,γ</u>	^o tr	^ν σ _f	ii	<u>σ</u> <u>i->i+1</u>	^σ i->i+2	<u>σ</u> i->i+3	<u>σ</u> <u>i->i+4</u>	$\sigma_{i \rightarrow i+5}$
1	1.75	0.04	4.25	5.285	1.19	0.20	0.27	0.45	0.31	0.04
2	1.83	0.06	4.5	4.941	1.53	0.18	0.50	0.35	0.05	
3	1.89	0.08	4.6	4.933	1.82	0.45	0.30	0.06		
4	1.94	0.11	5.3	4.986	2.91	0.29	0.05			
5	2.24	0.15	8.1	5.667	5.66	0.05				
6	3.5	0.42	12.5	8.785	8.54	0.04				
7	6.	0.84	16.5	15.06	9.61	0.05				
8	9.	з.	23.	2 2 . 59	10.94	0.06				
9	19.	13.	44.	47.69	11.94	0.06				
10	30.	21.	63.	75.30	11.91	0.09				
11	114.	2 2.	148.	286.14	11.91	0.09				
1 2	102.	19.	133.	256.02	11.91	0.09				
13	316.	94.	422.	793.16	11.91	0.09				
14	133.	15.	160.	333.83	11.89	0.11				
15	200.	23.	235.	502.	11.92	0.08				
16	467.	46.	525.	1172.2	12.0					

						U-2	35				
Group	f	^σ n,γ		^{νσ} f	ν 	$\sigma_{i \rightarrow i}$	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$		$\sigma_{i \rightarrow i+4}$	
1	1.21	0.05	4.25	3.557	2.94	1.20	0.27	0.37	0.65	0.44	0.06
2	1 .22	0.08	4.50	3.196	2.62	1.77	0.24	0.67	0.45	0.07	
3	1 .22	0.11	4.65	3.087	2.53	2.30	0.55	0.40	0.07		
4	1 .2 0	0.15	5 .2	2.988	2. 49	3.42	0.35	0.08			
5	1.43	0.23	7.9	3.518	2.46	6.16	0.08				
6	2.5	0.65	12.4	6.125	2.45	9 .2	0.05				
7	4 •2	1.3	15.1	10.29	2.45	9.55	0.05				
<u>.</u> 8	7.9	3.2	21.1	19.36	2.45	9.95	0.05				
9	18.7	8.5	37.2	45.815	2.45	9.95	0.05				
10	38.	20.	68.	93 . ľ	2.45	9.95	0.05				
11	55.	35.	100.	134.75	2.45	9.95	0.05				
1 2	44.	40.	94.	107.8	2. 45	9.95	0.05				
13	30.	9.	49.	73.5	2. 45	9.95	0.05				
14	70.	10.	90.	171.5	2.45	9.95	0.05				
15	185.	39.	234.	453 .2 5	2.45	9.96	0.04				
16	516.	95.	621.	1264.2	2.45	10.0					

.

• •

TABLE XII

.

•

	<u> </u>										
			_	,		<u>U-238</u>					
Group	σ _t	σf	σ _{n,γ}	σ _{tr}	f	^σ i->i_	σ 1,1+1	$\sigma_{i,i+2}$	^σ i, i+3	$\sigma_{i,i+4}$	$\frac{\sigma_{i,i+5}}{\sigma_{i,i+5}}$
1	7.53	0.616	0.02	4.00	1.725	1.254	0.33	0.46	0.79	0.53	0.07
2	7.20	0.485	0.05	4.4	1.213	1.825	0.35	0.96	0.64	0.09	
3	6.78	0.044	0.10	4.5	0.108	2.906	0.80	0.55	0.10		
4	7.56	0	0.14	5.25	0	4.53	0.50	0.08			
5	9.86	0	0.16	8.2	0	7.96	0.08				
6	13.	0	0.45	1 2 .0	0	11.45	0.10				
7	14.	0	0.7	14.	0	13.24	0.06				
8	15.	0	2.	15.	0	1 2.9 4	0.06				
9	22.	0	11.	22.	0	10.95	0.05				
10	59.	0	50.	59.	0	8.94	0 •06				
11	65.	0	56 •	65.	0	8.94	0.06				
12	119.	0	110.	119.	0	8.94	0.06				
13	9.4	0	0•4	9.4	0	8.94	0.06				
14	9.55	0	0.55	9.55	0	8.94	0.06				
15	10.0	0	1.00	10 .0	0	8.95	0.05				
16	11.44	0	2.44	11.44	0	9.0					

TABLE XIII

					Th	-232				
Group	_σ _f	σ _{n,γ}	^o tr	ν _σ f	^σ i→i	$\sigma_{i \rightarrow i+1}$	<u>σ</u> <u>i->i+2</u>	$\sigma_{i \rightarrow i+3}$	i→ <u>i+4</u>	^σ i->i+5
1	0.16	0.02	4.00	0.384	1.64	0.33	0.46	0.79	0.53	0.07
2	0.10	0.05	4.22	0.230	2.03	0.35	0.96	0.64	0.09	
3	0.009	0.07	4.32	0.021	2.791	0.80	0.55	0.10		
4	0.	0.13	5.04	0.	4 . 33	0.50	0.08			
5	0.	0.21	7.87	0.	7.58	0.08				
6	0.	0.48	13.48	0.	12.936	0.064				
7	0.	0.60	14.5	0.	13.83	0.07				
8	0.	1.9	14.5	0.	12.536	0.064				
9	0.	18.0	30.	0.	11.94	0.06				
10	0.	18.0	30.	0.	11.915	0.085				
11	0.	40.7	52.7	0.	11.906	0.094				
12	0.	0.5	1 2. 5	0.	11.915	0.085				
13	0.	0.9	12.9	0.	11.906	0.094				
14	0.	1.5	13.5	0.	11.887	0.113				
15	0.	2.7	14.7	0.	11.926	0.074				
16	0.	7.6	19.6	0.	1 2. 0					

TABLE XIV

				н ¹ ($\frac{dE}{E}$ weig	hting bey	ond group	2)			
Group	^σ tot.	σ	σ ^{el} s	σ_{tr}^{el}	σ _{tr}	^σ i->i	σ <u>i,i+1</u>	σ <u>i,i+2</u>	σ _{1,1+3}	^σ i,i+4	σ <u>i,i+5</u>
1	1.8	0	1.8	0.60	0.60	-0.84	0.769	0.239	0.239	0.144	0.049
2	2.9	0	2.9	0.97	0.97	-0.961	0.690	0.690	0.415	0.116	0.020
3	4.0	0	4.0	1.33	1.33	-1.906	1.796	1.076	0.300	0.052	0.012
4	5.5	0	5.5	1.83	1.83	-1.9375	2.827	0.781	0.132	0.022	0.0055
5	9.0	0	9.0	3.00	3.00	-1.8681	4.041	0.684	0.117	0.0216	0.0045
6	15.6	0	15.6	5.20	5.20	-2.0961	6.022	1.045	0.187	0.02 9 6	0.0125
7	19.	0	19.0	6.33	6.33	-2.6912	7.372	1.349	0.209	0.0608	0.0304
8	20.	0.001	19.999	6.666	6.666	-2.969	7.880	1.220	0.360	0.1220	0.0520
9	20.	0.004	19.996	6.665	6.669	-2.9420	6.719	1.920	0.680	0.1920	0.0960
10	20.	0.008	19.992	6.664	6.672	-4.9798	7.757	2.719	0.780	0.2319	0.1559
11	20.	0.014	19.986	6.662	6.676	-5.4489	8.494	2.418	0.719	0.360	0.1199
12	20.4	0.025	20.375	6.792	6.817	-5.0470	7.906	2.364	1.182	0.387	
13	20.4	0.045	20.355	6.785	6.830	-5.550	7.409	3.684	1.242		
14	20.4	0.070	20.330	6.777	6.847	-6.539	9.982	3.334			
15	20.5	0.130	20.370	6.790	6.920	-4.230	11.020				
16	20.7	0.29	20.41	6.8	7.09	6.8 ·					

TABLE XV

Group	"σ _{tr} "	σ _{i−} ∖i	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$	$\sigma_{i \rightarrow i+3}$	$\frac{\sigma_{i}}{i} \rightarrow i+4}$	$\sigma_{i \rightarrow i+5}$
1	1.45	0.01	0.769	0.239	0.239	0.144	0.049
2	2.175	0.244	0.69	0.69	0.415	0.116	0.020
3	3.3	0.064	1.796	1.076	0.300	0.052	0.012
4	4.125	0.357	2.827	0.781	0.132	0.022	0.006
5	6.75	1.881	4.041	0.684	0.117	0.022	0.005
6	11.7	4.404	6.022	1.045	0.187	0.030	0.012
7	14.25	5.229	7.372	1.349	0.209	0.061	0.030
8	15.0	5.365	7.880	1.220	0.360	0.122	0.052
9	15.0	5.389	6.719	1.920	0.680	0.192	0.096
10	15.0	3.348	7.757	2.719	0.780	0.232	0.156
11	15.0	2.875	8.494	2.418	0.719	0.360	0.120
12	15.0	3.136	7.906	2.364	1.182	0.387	
13	15.0	2.620	7.409	3.684	1.242		
14	18.0	4.730	9.90	3.30			
15	25.0	19.87	5.00				
16	45.0	44.71					
For 6 g	ps.						
2	2.175	0.244	0.69	0.69	0.415	0.136	
3	3.3	0.064	1.796	1.076	0.364		
4	4.125	0.357	2.827	0.941			
5	6.75	1.881	4.869				
6	11.7	11.7					

TABLE XVI

Hydrog	gen Anis	otropic T	able B (<mark>d</mark>	E weighti	ng beyond	group 2)
Group	$\sigma_{i \rightarrow i}$	^σ i->i+1	^σ i->i+2	^σ i->i+3	σ i->i+4	σ _i ->i+5
1	0.015	0.569	0.128	0.096	0.036	0.006
2	0.128	0.511	0.397	0.148	0.020	0.001
3	0.025	1.365	0.507	0.068	0.005	0.000
4	0.181	1.849	0.248	0.016	0.001	0.000
5	1.227	2.356	0.155	0.012	0.001	0.000
6	2.86	3.372	0.248	0.019	0.001	0.000
7	3.417	4.15	0.325	0.023	0.004	0.001
8	3.517	4.444	0.310	0.051	0.010	0.002
9	3.542	3.998	0.637	0.128	0.020	0.006
10	2. 18	4.964	0.987	0.158	0.028	0.011
1 1	1.814	5.445	0.863	0.152	0.045	0.005
12	1.915	5.076	0.896	0.268	0.028	
13	1.594	4.942	1.474	0.160		
14	4.00	6.4	0.6			
15	10.0	2.0				
16	12.0					
For 6	gps.					
2	0.128	0.511	0.397	0.148	0.021	
3	0.025	1.365	0.507	0.073		
4	0.181	1.849	0.265			
5	1.227	2.524				
6	6.50					

TABLE XVII

				<u>H (</u>	<u> χ(E)</u> S	pectrum we	eighting)				
Group	^σ tot.	σ _c	σ ^{el} s	σ_{tr}^{el}		i→i	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$	<u>σ</u> i->i+3	σ _{1->1+4}	$\sigma_{i \rightarrow i+5}$
1	1.83	0	1.83	0.61	0.61	-0.776	0.739	0.231	0.231	0.139	0.046
2	2.85	0	2.85	0.95	0.95	-1.097	.731	.731	.439	.121	.025
. 3	3.95	0	3.95	1.32	1.32	-1.861	1.767	1.060	.294	.049	.011
· 4	5.47	0	5.47	1.82	1.82	-1.804	2.718	.752	.127	.022	.005
5	8.78	0	8.78	2.93	2.93	-1.150	3.387	.571	.100	.018	.004
6	15.6	0	15.6	5.20	5.20	-2.0961	6.022	1.045	0.187	0.0296	0.0125
7	19.	0	19.0	6.33	6.33	-2.6912	7.372	1.349	0.209	0.0608	0.0304
8	20.	0.001	19.999	6.666	6.666	-2.969	7.880	1.220	0.360	0.1220	0.0520
9	20.	0.004	19.996	6.665	6.669	-2.9420	6.719	1.920	0.680	0.1920	0.0960
10	20.	0.008	19.992	6.664	6.672	-4.9798	7.757	2. 719	0.780	0.23 19	0.1559
11	20.	0.014	19.986	6.662	6.676	-5.4489	8.494	2.418	0.719	0.360	0.1199
12	20.4	0.025	20.375	6.792	6.817	-5.0470	7.906	2.364	1.182	0.387	
13	20.4	0.045	20.355	6.785	6.830	-5.550	7.409	3.684	1.242		
14	20.4	0.070	20.330	6.777	6.847	-6.539	9,982	3.334			
15	20.5	0.130	20.370	6.790	6.920	-4.230	11.020				
16	20.7	0 .2 9	20.41	6.8	7.09	6.8					

• •

TABLE XVIII

• •

•

Group	"o _{tr} "	^σ i->i	σ _{i->i+1}	σ _i ->i+2	^σ i->i+3	σ i->i+4	σ i->i+5
1	1.434	.048	0.739	0.231	0.231	0.139	0.046
2	2.140	•093	.731	.731	.439	.121	.025
3	3.374	.193	1.767	1.060	.294	.049	.011
4	4.103	.479	2.718	0.752	.127	.022	.005
5	6 .58 1	2.501	3.387	.571	.100	.018	.004
6	11.7	4.404	6.022	1.045	0.187	0.030	0.012
7	14.25	5.229	7.372	1.349	0.209	0.061	0.030
8	15.0	5.365	7.880	1.220	0.360	0.122	0.052
9	15.0	5.389	6.719	1.920	0.680	0.192	. 0 .096
10	15.0	3.348	7.757	2.719	0.780	0.232	0.156
11	15.0	2.875	8.494	2.418	0.719	0.360	0.120
12	15.0	3.136	7.906	2.364	1.182	0.387	
13	15.0	2 .62 0	7.409	3.684	1.242		
14	18.0	4.730	9,90	3.30			
15	25.0	19.87	5.00				
16	45.0	44.71					
or 6 gps	5.						-
2	2.175	0.244	0.69	0.69	0.415	0.136	. **
3	3.3	0.064	1 .79 6	1.076	0.364		
4	4.125	0.357	2.827	0.941			
5	6.75	1.881	4.869				
6	11.7	11.7					

TABLE XIX

Hydro	ogen Ani	sotropic	Table B (χ (E) Spe	ctrum Wei	ghting)
Group	i>i	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$	<u>σ</u> i->i+3	<u>σ</u> i->i+4	<u>σ</u> i->i+5
1	.004	•558	.127	.095	.035	.005
2	.015	.569	.426	.157	.021	.002
3	.140	1.347	.496	.066	.005	.000
4	.279	1.754	.233	.016	.001	.000
. 5	1.693	1.821	.127	.009	.001	.000
6	2.86	3.372	0.248	0.019	0.001	0.000
7	3.417	4.15	0.325	0.023	0.004	0.001
8	3.517	4.444	0.310	0.051	0.010	0.002
9 .	3.542	3.998	0.637	0.128	0.020	0.006
10	2.18	4.964	0.987	0.158	0.028	0.011
11	1.814	5.445	0.863	0.152	0.045	0.005
12	1.915	5.076	0.896	0.268	0.028	
13	1.594	4.942	1.474	0.160		
14	4.00	6.4	0.6			
15	10.0	2.0				
16	12.0					
For 6	gps.					
_ 2	0.128	0.511	0.397	0.148	0.021	
3	0.025	1.365	0.507	0.073		
4	0 .1 81	1.849	0.265			
5	1.227	2.524				
6	6.50					

TABLE XX

. . .

..

.

		<u> </u>		D (χ(ε) Spectru	um Weight	ing)			
Group	^o tot.	σ	σ ^{el} s	σ_{tr}^{el}	^o tr	$\sigma_{i \rightarrow i}$	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$	$\sigma_{i\rightarrow i+3}$	$\sigma_{i \rightarrow i+4}$
1	1.903	0	1.903	1.077	1.077	0.093	0.540	0.200	0.270	0.011
2	2.543	0	2.543	1.623	1.623	0.120	0.535	0.633	0.335	
3	2.894	0	2.894	2.033	2.033	-0.073	1.142	0.964		
4	3.113	0	3.113	2.321	2.321	0.283	1.826	0.21 2		
5	3.287	0	3.287	2.405	2.405	1.057	1.336	0.012		
6	3.4	0	3.4	2.27	2.27	0.903	1.336	.031		
7	3.4	0	3.4	2.27	2.27	.880	1.353	.037		
8	3.4	0	3.4	2.27	2.27	.853	1.380	•037		
9	3.4	0	3.4	2 .2 7	2.27	.859	1.234	.177		
10	3.4	0	3.4	2.27	2.27	.472	1.482	.316		
11	3.4	0	3.4	2 .2 7	2.27	.373	1.625	.272		
12	3.4	0	3.4	2.27	2.27	.472	1.482	.309	.007	
13	3.4	0	3.4	2.27	2 .2 7	.373	1.625	.272		
14	3.4	.0001	3.3999	2.267	2.2671	.186	1.877	.204		
15	3.4	.00016	3.39984	2.267	2.26716	.621	1.646			
16	3.4	.0004	3.3996	2.267	2.2674	2.267				
1/E Spec	ctrum, G	rps. 4 &	5	•			• •		·	
4	3.119	0	3.119	2.473	2.473	0.319	1.903	0.251		
5	3.290	0	3.290	2.382	2.382	0.695	1.660	0.027		

TABLE XXI

<u>]</u>	D Anisotro	pic Tabl	еА(Х(E) Spectru	m Weightin	ng)
Grou	otr"	^σ i–>i	^σ i->i+1	i >i+2	^σ i->i+3	
1	1.332	•348	0.540	0.200	0.270	0.011
2	2.062	.559	.535	. 633	•335	
3	2.645	•539	1.142	•964		
4	3.083	1.045	1.826	.212		
5	3.278	1.930	1.336	•01 2		
6	3.223	1.856	1.336	.031		
7	3.223	1.833	1.353	.037		
8	3.223	1.806	1.380	•037		
9	3.223	1.812	1.234	.177		
10	3.223	1.425	1.482	•316		
11	3.223	1.326	1.625	.272		
12	3.223	1.425	1.482	•309	.007	
13	3.223	1.326	1.625	.272		
14	3.2231	1.142	1.877	•2 04		
15	3.55756	1.7634	1.794			
16	4.4920	4.4916				
1/E	Spectrum					
4	3.095	0.941	1.903	0.251		
5	3.269	1.582	1.660	0.027		

TABLE XXII

.

L

<u>D</u> Ar	nisotropio	c Table B (X(E) Spect	trum Weight	ting)
Group	i ->i	$\sigma_{i \rightarrow i+1}$	<u>σ</u> i->i+2	^σ i >i+3	i→i+4
1	.160	0.275	031	148	001
2	.398	.287	046	200	
3	.456	.508	352		
4	.760	.138	136		
5	1 .091	210	008		
6	1.019	041	025		
7	1.016	033	030		
8	1.013	030	030		
9	1.014	+.051	112		
10	•932	+.208	187		
11	.898	+.228	173		
12	.929	.2 08	179	005	
13	.889	.325	261		
14	.823	.277	144		
15	.8177	.10752			
16	.8073				
1/E Sp	pectrum				
4	0.547	0.233	-0.158		
5	0.9 69	-0.064	-0.018		

TABLE XXIII

·									
	W <u></u>				Li ⁶			· · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Group	^o tot.	ر م	σ ⁱⁿ s	σ ^{el} 	$\frac{\sigma_{tr}^{el}}{dtr}$	^o tr	^σ i->i	σ i,i+1	σ _{i,1+2}
1	2.00	0.11	-	1.89	0.92	1.03	0.434	0.486	
2	1.50	0 .2 3	-	1.27	0.77	1.09	0.438	0.298	0.034
3	1.40	0.26	0	1.14	0.86	1.12	0.270	0.590	
4	1.90	0.50	0	1.40	1.20	1.70	0.702	0.498	
5	4.95	1.95	0	3.00	2.52	4.47	1.909	0.611	
6	1.75	0.85	0.	0.9	0.80	1.65	0.648	0.152	
7	2.5	1.4	0	0.9	0.80	2.2	0.645	0.155	
8	5.2	4.3	0	0.9	0.80	5.1	0.642	0.158	
9	10.6	9.7	0	0.9	0.80	10.5	0.642	0.158	
10	20.8	19.9	0	0.9	0.80	20.7	0.577	0.223	
11	35.5	34.6	0	0.9	0.80	35.4	0.555	0.245	
12	61.	60.1	0	0.9	0.80	60.9	0.577	0.223	
13	110.	109.1	0	0.9	0.80	109.9	0.555	0.245	
14	172.	171.1	0	0.9	0.80	171.9	0.507	0.293	
15	310.	309.1	0	0.9	0.80	309.9	0.606	0.194	
16	838.	837.1	0	0.9	0.80	837.9	0.800		

TABLE XXIV

<u></u>				I	.i ⁷		· · · · · · · · · · · · · · · · · · ·		
Gro	up ^σ tot.	<u>σ</u>	$\frac{\sigma_{s}^{in}}{s}$	σ ^{el} s	σ_{tr}^{el}	^σ tr	^σ i->i	σ _{i,i+1}	σ _{1,1+2}
1	2.19	-	-	2.19	1.10	1.10	0.43	0.67	
2	1.76	0	0.09	1.67	1.05	1.14	0.67	0.45	0.02
3	1.55	់០	0.18	1.37	1.06	1.24	0.41	0.83	
4	1.27	0	0.04	1.23	1.07	1.11	0.692	0.416	0.002
5	3.50	0	0	3.50	2.99	2.99	2.37	0.62	
6	1.04	0	0	1.04	0.94	0.94	0.79	0.15	
7	1.07	0	0	1.07	0.97	0.97	0.81	0.16	
8	1.07	0	0	1.07	0.97	0.97	0.81	0.16	
9	1.07	0	0	1.07	0.97	0.97	0.81	0.16	
10	1.07	0.091	0	1.069	0.967	0.968	0.736	0.231	
11	1.07	0.001	0	1.069	0.967	0.968	0.714	0.253	
12	1.07	0.002	0	1.068	0.966	0.968	0.735	0.231	
13	1.07	0.004	0	1.066	0.965	0.969	0.712	0.253	
14	1.07	0.006	0	1.064	0.963	0.969	0.661	0.302	
15	1.07	0.012	0	1.058	0.957	0.969	0.758	0.199	
16	1.07	0.029	0	1.041	0.938	0.967	0.938		

•

ź

TABLE XXV

.

.

٠

.

			5 ^B	(natural)			
Group	t	σc	σ ^{el} 	σ_{tr}^{el}	^o tr	_ σi→j	$\sigma_{i \rightarrow i+1}$
1	1.6	0.04	1.56	1.48	1.52	0.81	0.67
2	1.9	0.06	1.84	1.73	1.79	1.31	0.42
3 .	2.4	0.04	2.36	2.10	2. 14	1.22	0.88
4	2.8	0.08	2.72	2.19	2.27	1.69	0.50
5	3.6	0.27	3.33	2.89	3.16	2.51	0.38
6	4.31	0.61	3.7	3.47	4.08	3.11	0.36
7	5.2	1.5	3.7	3.47	4.97	3.10	0.37
8	7.1	3.4	3.7	3.47	6.87	3.09	0.38
9	11.7	8.0	3.7	3.47	11.47	3.09	0.38
10	20.1	16.4	3.7	3.47	19.87	2.94	0.53
11	32.7	29	3.7	3.47	32.47	2.89	0.58
12	55.7	52	3.7	3.47	55.47	2.94	0.53
13	95.7	92	3.7	3.47	95.47	2.89	0.58
14	154.7	151	3.7	3.47	154.47	2.77	0.70
15	276.7	273	3.7	3.47	276.47	3.01	0.46
16	673	669.3	3.7	3.47	672.77	3.47	

TABLE XXVI

.

					F	Be ⁹				
9	Group	<u> </u>	c	o ^{el} 	^σ n, 2n	$\frac{\sigma_{tr}}{dtr}$	^o tr	σ _{i,i}	σ i,i+1	^σ i,i+2
	1	2.1	0.041	1.709	0.35	0.90	1.291	0.432	0.818	0.35
	2	2.2	0.032	2.048	0.12	1.323	1.475	0.934	0.509	0.12
	3	3.0	0	3.0	0	2.38	2.38	1.173	1.207	
	4	3.7	0	3.7	0	3.31	3.31	2.397	0.913	
	5	4.5	0	4.5	0	3.94	3.94	3.306	0.634	
	6	5.6	0	5.6	0	5.18	5.18	4.525	0.655	
	7	5.7	0	5.7	0	5.28	5.28	4.60	0.68	
	8	5.8	0	5.8	0	5.37	5.37	4.66	0.71	
	9	5.85	0	5.85	0	5.42	5.42	4.71	0.71	
	10	5.9	0	5.9	0	5.46	5.46	4.45	1.01	
	11	5.9	0	5.9	0	5.46	5.46	4.35	1.11	
	12	5.9	0	5.9	0	5.46	5.46	4.45	1.01	
	13	5.9	0.001	5.899	0	5.46	5.46	4.349	1.11	
	14	5.9	0.002	5.898	0	5.46	5.46	4.128	1.33	
	15	5.9	0.004	5.896	0	5.46	5.46	4.576	0.88	
	16	6.01	0.009	6.00	0	5.56	5.569	5.56		

TABLE XXVII

	<u></u>			c ¹²			
	Group	σ _t	σ	o el s	^o tr	σ _{i,1}	^σ i,i+1
	1	1.65	0	1.65	1.23	0.715	0.515
	2	1.9	0	1.9	1.42	1.106	0.314
• •		2.5	0	2.5	2.26	1.404	0.856
	4	3.1	0	3.1	2.93	2.326	0.604
	5	3.8	0	3.8	3.59	3.157	0.433
	6	4.5	0	4.5	4.25	3.849	0.401
	7	4.7	0	4 .7	4.44	4.012	0.428
	8	4.6	0	4.6	4.34	3.912	0.428
	9	4.6	0	4.6	4.34	3.912	0.428
	10	4.6	0	4.6	4.34	3.737	0.603
	11	4.6	0	4.6	4.34	3.678	0.662
	12	4.7	0	4.7	4.44	3.824	0.616
	13	4.7	0	4.7	4.44	3.763	0.677
	14	4.7	0	4.7	4.44	3.627	0.813
	15	4.7	0.001	4.699	4.44	3.903	0.536
	16	4.7	0.003	4.697	4.44	4.437	

TABLE XXVIII

•

<u>σ</u> i->i	^σ i->i	$\sigma_{i \rightarrow i+1}$
0.39	0.39	0.33
1.01	1.01	0.36
1.20	1.20	0.45
1.78	1.78	0.35
3.122	3.122	0.17
4.994	4.994	0.44
6.745	6.745	0.61
7.404	7.404	0.68
7.764	7.764	0.71
8.18	8.18	1.11
8.28	8.28	1.24
8.38	8.38	1.14
8.28	8.28	1.24
8.03	8.03	1.49
8.53	8.53	0.99
9.52	9.52	
8.53 9.52	8.53 9.52	

TABLE XXIX

•

٠

······								
<u>a/1</u>			_ in		el		_	
Group	tot.	c	<u></u>		⁰ tr	tr	<u> di,i</u>	σ i, i+1
1	1.9	0.040	0	1.86	1.29	1.33	0.866	0.424
2	1.7	0	0	1 .7	1.18	1.18	0.989	0.191
3	4.5	0	0	4.5	3.23	3.23	2.328	0.902
4	4.5	0	0	4.5	3.63	3.63	3.074	0.556
5	3.8	0	0	3.8	3.7 1	3.71	3.373	0 .33 7
6	3.4	0	0	3.4	3.26	3.26	3.029	0.231
7	3.7	0	0	3.7	3.55	3.55	3.295	0.255
8	3. 8	0	0	3.8	3.64	3.64	3.370	0 .270
9	3.8	0	0	3.8	3.64	3.64	3.370	0.270
10	3.8	0	0	3.8	3.64	3.64	3.260	0.380
11	3.8	0	0	3.8	3.64	3.64	3.226	0.414
12	3.8	0	0	3.8	3.64	3.64	3.260	0.380
13	3.8	0	0	3.8	3.64	3.64	3.226	0.414
14	3.8	0	0	3 •8	3.64	3.64	3.142	0.498
15	3.8	0	0	3.8	3.64	3.64	3.309	0.331
16	3.8	0 .0002	0	3.7 9 98	3.641	3.6412	3.641	

TABLE XXX

.

۰.

.

						F ¹⁹	······			
Group	t	σ	σ ⁱⁿ _s	σ <mark>el</mark> s	el ⊂		σ _{i,i}	σ _{i,i+1}	σ _{1,1+2}	σ _{1,1+3}
1	1.9	0.10	0.4	1.4	0 .9	1.4	0.88	0 .42		
2	2.4	0	0 .9	1.5	1.0	1.9	1.28	0.32	0.21	0.09
3	2.5	0	1.0	1.5	1.09	2.09	1.41	0.68		
4	4.0	0 .0002	1.6	2.4	1.60	3 .20 02	2.14	1.06		
5	5.3	0.0002	1.8	3.5	2.81	4.6102	3.953	0.65	0.007	
6	4.2	0	0	4.2	3.78	3.78	3.53	0.25		
7	3.7	0	0	3.7	3.57	3.57	3.36	0.21		
8	3.7	0	0	3.7	3.57	3.57	3.35	0.22		
9	3.6	0	0	3.6	3.47	3.47	3.25	0.22		
10	3.4	0	0	3.4	3.28	3.28	2.99	0 .2 9		
11	3.1	0	0	3.1	2.99	2.99	2.71	0.28		
12	3.3	0	0	3.3	3.18	3.18	2.90	0.28		
13	3.4	0.001	0	3. 339	3.28	3.281	2.97	0.31		
14	3.4	0.002	0	3.338	3 .28	3.282	2.91	0.37		
15	3.6	0 .00 4	0	3 .59 6	3.47	3.474	3.21	0.26		
16	3.6	0 •0 0 8	0	3.592	3.46	3.4 68	3.46			

TABLE XXXI

•	Na ²³											
Group	^σ tot.	σ	σ_{s}^{in}	σ ^{el} s	σ el tr	^o tr	^σ i→i	<u>σ</u> <u>i->i+1</u>	σ i->i+2	i→i+3		
1	2.3	0.030	0.143	2.127	1.434	1.607	1.137	0.440				
2	2.5	0	0.963	1.537	1.297	2.260	1.704	0.556				
3	3.2	0.0002	0.869	2.3308	2.121	2.9902	1.799	1.191				
4	3 .2	0.0005	0.420	2.78	2.70	3.1194	2.4709	0.604	0.036	0.008		
5	3.2	0.0009	0	3.20	3.11	3.1072	2.9113	0.195	(1×10^{-8})			
6	4.0	0.001	0	4.0	3.88	3.884	3.695	0.188				
7	6.28	0.001	0	6.27	6.088	6.089	5.787	0.301				
8	4.69	0.001	0	4.68	4.544	4.545	4.310	0.234				
9	3.10	0.005	0	3.095	3.005	3.010	2.850	0.155				
10	3.10	0.011	0	3.089	2.999	3.010	2.783	0.216				
11	3.12	0.018	0	3.102	3.012	3.030	2.776	0.236				
12	3.16	0.032	0	3.128	3.037	3.069	2.818	0.219				
13	3.19	0.057	0	3.133	3.042	3.099	2.804	0.238				
14	3.30	0.10	0	3.20	3.11	3.21	2.816	0.294				
15	3.44	0.19	0	3.25	3.16	3.35	2.962	0.198				
16	3.85	0.447	0	3.4	3.3	3.747	3.30					

TABLE XXXII

•

- ----

A1 ²⁷											
Group	^o tot.	σ <u></u>	$\frac{\sigma_{s}^{in}}{s}$	σ <mark>εl</mark> σs	σ_{tr}^{el}		i,i	^σ i,i+1	^σ i, i+2	^σ i,i+3	
1	2.4	0.0159	0.7	1.68	1.09	1 .80 59	1 .1 0	0.56	0.10	0.03	
2	2.94	0.00035	0.3	2.64	1.722	2.02235	1.662	0.23	0.11	0.02	
3	2.97	0.00038	0.2	2.77	1.94	2.14038	1.61	0.38	0.14	0.01	
4	3.63	0.0007	0	3.63	2.72	2.7207	2.47	0.25			
5	3.33	0.002	0	3.33	2.83	2.832	2.69	0.14	(σ 2— >6 =	0.0009)	
6	1.5	0.005	0	1.50	1.43	1.435	1.36	0.07			
7	1.5	0.002	0	1.498	1.461	1.463	1 .39 8	0 .0 63			
8	1.4	0.001	0	1.399	1.364	1.365	1.304	0.060			
9	1.4	0 .00 3	0	1.397	1.363	1.366	1.303	0 .060			
10	1.4	0 .00 6	0	1.394	1.360	1.366	1 .27 6	0 .084			
11	1.4	0.010	0	1.390	1.356	1.366	1.264	0 .0 92			
1 2	1.42	0.017	0	1.403	1.368	1.385	1.284	0 .0 84			
13	1.45	0.03	0	1.42	1.38	1.41	1.286	0 .0 94			
14	1.5	0.05	0	1.45	1.41	1.46	1.295	0.115			
15	1.5	0.08	0	1 .42	1.38	1.46	1.306	0 .074			
16	1.6	0.20	0	1.4	1.36	1.56	1.36				

TABLE XXXIII

• `

· ·

				17 ^{C1}			
Group	σ _t	a	σ el s	$\frac{\sigma_{tr}^{el}}{dtr}$	σ _{tr}	^σ i−>i	^σ i>i+1
1	2.95	0.06	2.89	1.59	1.65	1.417	0.173
2	2.97	0	2.97	1.66	1 .6 6	1.557	.103
3	2. 40	0	2 .40	1.52	1.52	1.368	.152
4	2.30	0	2.30	1.66	1.66	1.586	•074
5	2.30	0	2.30	2.02	2.02	1.992	•028
6	3.47	0	3.47	3.40	3.40	3.291	•109
7	1.80	0	1.80	1.77	1.77	1.713	•05 7
8	1.95	0.002	1.95	1 .91	1.912	1.846	•064
9	4.36	0.05	4.31	4 •23	4 .2 8	4.047	.183
10	10.01	0.39	9.62	9.44	9.83	8.997	•443
11	13.78	0.98	12.8	12.56	13.54	11.915	•645
12	17.40	2. 10	15.3	15.01	17.11	14.306	•704
13	19.52	3.82	15.7	15.40	19.22	14.609	•791
14	22.77	6.77	16.0	15.70	22.47	14.732	•968
15	28.3	12.1	16.0	15.70	27.80	15.052	•648
16	46	30	16.0	15 .7 0	45.7	15.7	

,

TABLE XXXIV

-

.

		**************************************	19 ^K			,	
Group	$\sigma_{tot.}$	σ _c	$\frac{\sigma_{s}^{el}}{s}$	σ_{tr}^{el}	^o tr	^σ i−>i	<u>σ</u> <u>i->i+1</u>
1	3.1	0	3.1	2.11	2.11	1.795	0.315
2	3.2	0	3.2	2.22	2.22	2.071	0 . 149
3	2.3	0	2.3	1.69	1.69	1.495	0.195
4	2.15	0	2.15	1.84	1.84	1.724	0.116
5	2.0	0	2.0	1.97	1.97	1.898	0.072
6	1.90	0.001	1 . 899	1,866	1.867	1.813	0.053
7	1.45	0.003	1.447	1.422	1.425	1 .38 0	0.042
8	1.55	0.008	1.542	1.515	1.523	1.470	0.045
9	1.73	0.017	1.713	1.683	1.700	1.633	0.050
10	1.90	0.038	1,862	1.830	1.868	1.752	0.078
11	2.0	0.068	1,93 2	1.898	1.966	1 .8 09	0 .08 9
12	2.15	0.12	2.03	1.99	2.11	1.905	0.085
13	2.3	0.21	2,09	2.05	2 .2 6	1.954	0 .09 6
14	2.4	0.36	2.04	2.00	2.36	1.888	0.112
15	2.7	0.61	2.09	2. 05	2.66	1.975	0.075
16	4.04	1.75	2.29	2.25	4.00	2.25	

TABLE XXXV

26 ^{Fe}												
Group	t	c	σ ^{el} s	$\sigma_{\rm s}^{\rm in}$	σ el tr	^σ tr	<u>σ</u> i->i	$\sigma_{i \rightarrow i+1}$	i->i+2	$\sigma_{i \rightarrow i+3}$		
1	3.5	0.007	2.243	1.25	0.99	2.247	1.44	0.5	0.2	0.1		
2	2.9	0 .00 5	2.05	0.845	1.35	2.20	1.495	0.4	0.2	0.1		
3	2.34	0.010	1.89	0.44	1.51	1.96	1.47	0.23	0.23	0.02		
4	2.85	0 . 010	2.84	0	2.28	2.29	2.157	0.123	(1 x 10 ⁻⁸)			
5	2.7	0.010	2.69	0	2.43	2.44	2.359	0.071				
6	2.34	0.010	2.33	0	2.22	2.23	2.17	0.05				
7	5.75	0.010	5.74	0	5.64	5.65	5.52	0.120				
8	7.2	0.011	7.189	0	7.103	7.114	6 . 95 2	0.151				
9	11.1	0.027	11.073	0	10.941	10.968	10.708	0.233				
10	11.5	0.055	11.445	0	11 .30 9	11.36 4	10.97 7	0.332				
11	11.5	0 •098	11.402	0	11.266	11.364	10 .901	0.365				
1 2	11.5	0.17	11.33	0	11.20	11.37	10.871	0.329				
13	11.5	0.31	11.19	0	11.06	11.37	10.702	0.358				
14	11.5	0.51	10.99	0	10.86	11.37	10.431	0.429				
15	11.7	0.91	10.79	0	10.66	11.57	10.390	0.270				
16	13.2	2.24	10 .9 6	0	10.8	13.04	10.8					

• .

TABLE XXXVI

• •

28 ^{Ni}											
Group	t	c	$\frac{\sigma_s}{s}$	σ <mark>el</mark> s	$\frac{\sigma_{tr}}{tr}$	σ _{tr}	<u>σ</u> i->i	σ <u>i->i+1</u>	i+2		
1	3.4	0.27	1.15	1.98	0.87	2.29	1.22	0.5	0 .2	0.1	
2	3.2	0.10	0 .72	2.38	1 .52	2.34	1.64	0.3	0.2	0.1	
3	3.2	0.01	0.1	3.09	2.42	2.53	2.22	0.25	0.05		
4	3.1	0.01	0	3.05	2.44	2.45	2.34	0.10			
5	3.8	0.01	0	3.74	3.37	3.38	3.29	0.08			
6	5.4	0.02	0	5 .42	5.15	5.17	5.05	0.10			
7	14.8	0 .38	0	14.42	14.2	14.58	13.9 1	0.29			
8	15.9	0.04	0	15.82	15.64	15.68	15 .32	0.32			
9	16.9	0.05	0	16.82	16.63	16 .68	16 .30	0.33			
10	16.9	0.10	0	16.82	16.63	16.73	16.16	0.47			
11	17.5	0.18	0	17.32	17.12	17.30	16.59	0.53			
12	17.5	0.31	0	17.19	17.00	17.31	16.52	0.48			
13	17 .7	0.56	0	17.14	16.95	17.51	16.42	0.53			
14	18.4	0.94	0	1 7. 46	1 7.2 6	18.20	16.62	0.64			
15	19.2	1.6	0	17.60	17.40	19 .00	16.97	0.43			
16	21.4	4.6	0	16.8	16.61	21.21	16.61				

TABLE XXXVII

. . ٠

.

٧

۰.

٤.

•

•
40 ^{Zr}											
Group	$\sigma_{tot.}$	σ	σ ^{el} s	$\frac{\sigma_{s}^{in}}{s}$	σ _{tr} el	σtr	<u> σ</u> <u>i->i</u>	$\sigma_{i \rightarrow i+1}$	$\sigma_{i \rightarrow i+2}$	<u>σ</u> <u>i->i+3</u>	
1	4.0	0.003	2.44	1 .56	1.04	2.60	1 . 49 7	0.6	0.3	0.2	
2	4.6	0 •00 5	3.73	0.87	2 .2 3	3.10	2.395	0.4	0.2	0.1	
3	5.9	0.007	5.66	0.23	3.60	3.84	3.343	0.30	0.15	0.04	
4	7.8	0.012	7.79	0	6.20	6 .2 1	5.978	0.22			
5	8.0	0.015	7.99	0	7.20	7 .2 1	7.060	0.135			
6	8.0	0.015	7.99	0	7.90	7.91	7.788	0.107			
7	7.7	0.015	7.685	0	7.629	7.644	7.533	0.096			
8	6.6	0.015	6.585	0	6.537	6.552	6.453	0.084			
9	6.4	0.015	6.385	0	6.338	6.353	6 .2 57	0.081			
10	6.2	0.015	6.185	0	6.140	6.155	6.028	0.112			
11	6.2	0.015	6.185	0	6.140	6.155	6.018	0.122			
12	6.2	0.015	6.185	0	6.140	6.155	6.029	0.111			
13	6.2	0.022	6.178	0	6.133	6.155	6.011	0.122			
14	6.2	0.036	6.164	0	6.119	6.155	5.973	0.146			
15	6.2	U •U65	6.133	0	6.090	6.155	5.994	0.096			
16	6 .2	0.159	6.041	0	5.997	6.156	5.997				

• •

TABLE XXXVIII

. .

		<u></u>								
					41 ^{Nb}					
Δ <u>ε</u>	Group	^σ tot.	с	$\frac{\sigma_{s}^{in}}{s}$	σ ^{el} s	^o tr	^σ i->i	<u>σ</u> i->i+1	^σ i->i+2	^σ i->i+3
3 Mev-∞	1	3.9	0.01	1.4	2.5	2.4	1.39	0.5	0.3	0 .2
1.4-3 Mev	2	4.9	0.02	0.9	4.0	2.9	2.13	0.4	0 .2 5	0.1
0.9-1.4 Mev	3	6.4	0.04	0.2	6 .2	3.9	3.46	0.30	0.1	
0.4-0.9	4	7.8	0.05	0.	7.8	6 .2	5.95	0 •20		
0.1-0.4	5	8.8	0.08	0.	8.7	8.2	7 .9 9	0.13		
17-110 Kev	6	8.0	0.4	0.	7.6	8.0	7.50	0.10		
3-17	7	7.2	1 .2	0.	6.0	7.2	5.92	0.08		
0.55-3	8	8.6	2.6	0.	6.0	8.6	5 .92	0.08		
100-550 ev	9	8.8	2.8	0.	6.0	8.8	5.92	0.08		
30- 100	10	6.4	0.4	0.	6.0	6.4	5.90	0.10		
10-30	11	6.0	0.02	0.	6.0	6.0	5.88	0.10		
3-10	12	6.0	0.04	0.	6.0	6.0	5.86	0.10		
1-3	13	6.1	0.06	0.	6.0	6.1	5.93	0.11		
0.4-1	14	6.1	0.10	0.	6.0	6.1	5.86	0.14		
0.1-0.4	15	6.4	0.37	0.	6.0	6.4	5.94	0.09		
Th.	16	7.0	1.02	0.	6.0	7.0	5.98			

TABLE XXXIX

.

•

.

.

....

										
<u></u>					42 ^{Mo}					
∆ £	Group	$\sigma_{tot.}$	c	$\frac{\sigma_{s}^{\text{in}}}{s}$	σ ^{el} s	^o tr	<u>σ</u> <u>i->i</u>	σ i->i+1	$\sigma_{i \rightarrow i+2}$	$\sigma_{i \rightarrow i+3}$
3 Mev -∞	1	3.9	0.01	1.4	2.5	2.4	1.39	0.5	0.3	0.2
1.4-3 Mev	2	4.9	0.02	0.9	4.0	2.9	2.13	0.4	0.25	0.1
0.9-1.4 Mev	3	6.4	0.04	0.2	6 .2	3.9	3.46	0.3	0.1	
0.4-0.9	4	7.8	0.07	0.	7.8	6.2	5.93	0.20		
0.1-0.4	5	8.8	0.09	0.	8.7	8.2	7.98	0.13		
17-110 Kev	6	8.0	0.17	0.	7.8	7.9	7.63	0.10		
3-17	7	7.1	0.4	0.	6.7	7.1	6 .62	0.08		
0.55-3	8	8.1	1.5	0.	6.6	8.05	6.47	0.08		
100-550 ev	9	9.2	2 .9	0.	6.3	9.16	6.18	0.08		
30-100	10	19.4	13.4	0.	6.0	19.36	5.86	0.10		
10-30	11	5.6	0.05	0.	5.55	5.56	5.41	0.10		
3-10	1 2	5.7	0.08	0.	5.62	5.66	5.48	0.10		
1–3	13	6.0	0.15	0.	5.85	5 .96	5.70	0.11		
0.4-1	14	6.5	0.25	0.	6 .2 5	6.46	6.07	0.14		
0.1-0.4	15	6 .7	0 •90	0.	5.80	6.66	5.67	0.09		
Th.	16	7.6	2.50	0.	5.10	7.56	5.06			

TABLE XL